

Supplementary Materials: Facile Preparative Access to Bioactive Silicon Oxycarbides with Tunable Porosity

Fangtong Xie ¹, Emanuel Ionescu ^{1,*}, Marcela Arango-Ospina ², Ralf Riedel ¹, Aldo R. Boccaccini ², Isabel Gonzalo-Juan ¹

¹ Institute of Materials Science, Technische Universität Darmstadt, Otto-Berndt-Str. 3, D-64287 Darmstadt, Germany; xie@materials.tu-darmstadt.de (F.T.X.); riedel@materials.tu-darmstadt.de (R.R.); gonzalo@materials.tu-darmstadt.de (I.G.-J.)

² Institute of Biomaterials, University of Erlangen-Nuremberg, Cauerstrasse 6, D-91058 Erlangen, Germany; marcela.arango@fau.de (M.A.-O.); aldo.boccaccini@ww.uni-erlangen.de (A.R.B.)

* Correspondence: ionescu@materials.tu-darmstadt.de




Figure S1. N₂ sorption isotherms of SG-Ca12 and SiCa12 in (a), SG-Ca50 and SiCa50 in (b) and the BJH desorption particle size distribution calculated for SG-Ca12 and SiCa12 in (c) and SG-Ca50 and SiCa50 in (d).