

Direct Resolution of the Interactions of a Hydrocarbon Gas with Adsorbed Surfactant Monolayers at the Water/Air Interface Using Neutron Reflectometry

Richard A. Campbell ^{1,2,*}, Talmira Kairaliyeva ³, Svetlana Santer ³, Emanuel Schneck ⁴ and Reinhard Miller ^{4,*}

¹ Institut Laue-Langevin, 71 avenue des Martyrs, Cedex 09, 38042 Grenoble, France

² Division of Pharmacy and Optometry, University of Manchester, Manchester, M13 9PT, UK

³ Institute for Physics and Astronomy, University of Potsdam, 14476 Potsdam, Germany

⁴ Physics Department, Technical University Darmstadt, 64289 Darmstadt, Germany

* Correspondence: richard.campbell@manchester.ac.uk (R.A.C.); miller@fkp.tu-darmstadt.de (R.M.)

Supporting Information




Figure S1. Full dataset for C₁₂TAB: (left) surfactant and (right) hexane surface excesses.




Figure S2. Full dataset for $C_{14}TAB$: (left) surfactant and (right) hexane surface excesses.




Figure S3. Full dataset for $C_{16}TAB$: (left) surfactant and (right) hexane surface excesses.




Figure S4. Full dataset for SDS: (left) surfactant and (right) hexane surface excesses.