

[M]acro-
olecular
Chemistry and Physics

Supporting Information

for *Macromol. Chem. Phys.*, DOI 10.1002/macp.202200178

Crystalline Carbosilane-Based Block Copolymers: Synthesis by Anionic Polymerization and Morphology Evaluation in the Bulk State

*Hanna Hübner, Bart-Jan Niebuur, Oliver Janka, Lea Gemmer, Marcus Koch, Tobias Kraus, Guido Kickelbick, Bernd Stühn and Markus Gallei**

Supporting Information for

**Crystalline Carbosilane-Based Block Copolymers:
Synthesis by Anionic Polymerization and Morphology Evaluation in the Bulk State**

*Hanna Hübner, Bart-Jan Niebuur, Oliver Janka, Lea Gemmer, Marcus Koch, Tobias Kraus, Guido Kickelbick, Bernd Stühn and Markus Gallei**




Figure S1: Molecular weight distribution of PDMSB₁₁₃-b-P2VP₂₀₈₆ (4.8 vol% PDMSB) and the corresponding PDMSB aliquot according to SEC measurements in THF against polystyrene standards.




Figure S2: Molecular weight distribution of PDMSB₁₅₃-*b*-P2VP₁₄₇₉ (8.9 vol% PDMSB) and the corresponding PDMSB aliquot according to SEC measurements in THF against polystyrene standards.




Figure S3: Molecular weight distribution of PDMSB₁₅₀-*b*-P2VP₈₄₂ (14.3 vol% PDMSB) and the corresponding PDMSB aliquot according to SEC measurements in THF against polystyrene standards.




Figure S4: Molecular weight distribution of PDMSB₁₅₃-*b*-P2VP₆₃₉ (18.3 vol% PDMSB) and the corresponding PDMSB aliquot according to SEC measurements in THF against polystyrene standards.




Figure S5: Molecular weight distribution of PDMSB₁₄₅-*b*-P2VP₅₄₁ (20.1 vol% PDMSB) and the corresponding PDMSB aliquot according to SEC measurements in THF against polystyrene standards.




Figure S6: Molecular weight distribution of PDMSB₁₈₉-*b*-P2VP₅₁₄ (25.7 vol% PDMSB) and the corresponding PDMSB aliquot according to SEC measurements in THF against polystyrene standards.




Figure S7: Molecular weight distribution of PDMSB₂₃₀-*b*-P2VP₂₈₆ (43.1 vol% PDMSB) and the corresponding PDMSB aliquot according to SEC measurements in THF against polystyrene standards.




Figure S8: Molecular weight distribution of PDMSB₂₄₉-*b*-P2VP₂₁₄ (52.3 vol% PDMSB) and the corresponding PDMSB aliquot according to SEC measurements in THF against polystyrene standards.




Figure S9: Molecular weight distribution of PDMSB₂₁₉-*b*-P2VP₁₃₅ (60.5 vol% PDMSB) and the corresponding PDMSB aliquot according to SEC measurements in THF against polystyrene standards.




Figure S10: Molecular weight distribution of PDMSB₁₄₄-*b*-P2VP₈₂ (62.3 vol% PDMSB) and the corresponding PDMSB aliquot according to SEC measurements in THF against polystyrene standards.




Figure S11: Molecular weight distribution of PDMSB₁₃₉-*b*-P2VP₂₅ (83.9 vol% PDMSB) and the corresponding PDMSB aliquot according to SEC measurements in THF against polystyrene standards.




Figure S12: Molecular weight distribution of PDMSB₂₆₉ according to SEC measurements in THF against polystyrene standards.