

**Additional file 3: Key to reference labels included in the data compilation**

label	reference	label	reference
ALBEBA2015	[1]	INNEXX1977	[43]
ALBEFR2011	[2]	KLEEBE2013	[44]
AZZOVA2019	[3]	KLEERU1993	[45]
BACKME2017	[4]	KLEERU1999	[46]
BANKBA1995	[5]	KOHLET1979	[47]
BANKGR1993	[6]	KOHLET1980	[48]
BAUMIL1983	[7]	KONIWA2010	[49]
BAUMRU1987	[8]	KRAFXX1984	[50]
BAUMRU1989	[9]	LEOPXX1978	[51]
BAUMRU1990	[10]	MARTLA2003	[52]
BAUMXX1982	[11]	MEIXSC2014	[53]
BAUMXX1986	[12]	MJAKXX1983	[54]
BECKPA1990	[13]	MOECSC2008	[55]
BECKPA1992	[14]	NAGRXX2000	[56]
BECKWE1994	[15]	NATAWE1984	[57]
BECKXX1985	[16]	OLDEHA1993	[58]
BECKXX1999	[17]	ORZOJU2005	[59]
BECKXX2000	[18]	PUSTSC1995	[60]
BERGXX1998	[19]	ROECLE2003	[61]
BRUDXX1995	[20]	ROECNA1993	[62]
BRUDZO1997	[21]	RUMMBA1982	[63]
BRUERO1975	[22]	RUMMBA1983	[64]
BUDAMO2017	[23]	RUMMBA1983B	[65]
CARNRO1976	[24]	RUMMBA1987	[66]
CORNBE2007	[25]	RUMMBA1992	[67]
CORNB1992	[26]	RUMMJU1975	[68]
CORNXX1983	[27]	RUMMWI1983	[69]
CORNXX1988	[28]	RUMMXX1980	[70]
DREWWHO2019	[29]	RUMMXX1983	[71]
DREWSE2019	[30]	SCHIXX1978	[72]
ELMOXX1982	[31]	SCHMXX1981	[73]
FLECIRE2004	[32]	SEITST2015	[74]
GREIIL1977	[33]	TISCEV2010	[75]
GREIXX1975	[34]	TISCKR2013	[76]
GREIXX1975a	[35]	TRAUHU2005	[77]
GREIXX1978	[36]	TRAUSC2010	[78]
GRUNST1992	[37]	VALLEV2007	[79]
GYSEXX1975	[38]	VALLEV2019	[80]
HAERSC2008	[39]	WOLTBE2000	[81]
HARTXX1993	[40]	WOLTXX1987	[82]
ILLIGR1978	[41]	ZOBAHA1997	[83]
ILLIGR1979	[42]		

- [1] Alber, M., Backers, T., Bartmann, K., Brenne, S., Dinter, S., Dresen, G., Gipper, P., Grühser, C., Heft, S., Meier, T., Molenda, M., Röske, F., and Stöckhert, F. (2015). Erforschung der Mechanismen und Simulation hydraulisch induzierter Risse in geklüfteten Gesteinen für die Optimierung des Aufschlusses geothermischer Lagerstätten: Abschlussbericht zum Verbundprojekt. Report BMWi Fkz 0325279A/B, Ruhr-Universität Bochum, geom econ GmbH.
- [2] Alber, M. and Fritschen, R. (2011). Rock mechanical analysis of a  $M_I = 4.0$  seismic event induced by mining in the Saar District, Germany. *Geophysical Journal International*, 168(1):359–372.
- [3] Azzola, J., Valley, B., Schmittbuhl, J., and Genter, A. (2019). Stress Characterization and Temporal Evolution of Borehole Failure at the Rittershoffen Geothermal Project. *Solid Earth Discussions*, 2019:1–64.
- [4] Backers, T., Meier, T., Gipper, P., Munsch, P., Bücken, D., Nokar, K., Dinter, S., Grühser, C., Heft, S., and Röske, F. (2017). Abschlussbericht zum Teilprojekt B: Struktur- und Spannungsfeld im Verbundprojekt MAFA. Parametrisierung von Fazies, Diagenese, Struktur- und Spannungsfeld sowie Optimierung der Testabläufe im Malm zur Verringerung des Erfolgsrisikos; Teilprojekt B: Struktur- und Spannungsfeld. Report BMWi Fkz 0325673B, geom econ GmbH; Geothermie Neubrandenburg GmbH.
- [5] Bankwitz, P., Bankwitz, E., Franzke, H., Rauche, H., and Dannapfel, M. (1995). In Situ-Spannungsmessungen in Thüringen und Sachsen. *Brandenburgische Geowiss. Beitr.*, 2:77 – 94. 7 Abb., 2 Tab., 29 Lit.; also as DFG Scientific Technical Report STR95/04.
- [6] Bankwitz, P., Gross, U., and Bankwitz, E. (1993). Krustendefor mation im Bereich der Finne-Kyffhäuser-Gera-Jachymov-Zone. *Z. geol. Wiss.*, 21 (1/2):3 – 20.
- [7] Baumann, H. and Illies, H. (1983). Stress field and strain release in the Rhenish Massif. In Fuchs, K., Von Gehlen, K., Mälzer, H., Murawski, H., and Semmel, A., editors, *Plateau Uplift*, pages 177–186. Springer-Verlag, Berlin Heidelberg.
- [8] Baumgärtner, J., Rummel, F., and Zhaotan, C. (1987). Wireline hydraulic fracturing stress measurements in the Falkenberg granite massif. *Geol. Jahrb., Reihe E*, 39:83–99.
- [9] Baumgärtner, J. and Rummel, F. (1989). Experience with "Fracture Pressurization tests" as a Stress Measuring Technique in a Jointed Rock Mass. *International Journal of Rock Mechanics and Mining Sciences*, 26(6):661–671.
- [10] Baumgärtner, J., Rummel, F., and Zoback, M. (1990). Hydraulic fracturing in situ stress measurements to 3 km depth in the KTB pilot hole. Report, University of Karlsruhe.
- [11] Baumann, H. (1982). *Spannung und Spannungsumwandlung im Rheinischen Schiefergebirge*. Numismat. Verlag, Koblenz.
- [12] Baumann, H. (1986). Der Hohenzollerngraben - Wirkung einer tiefreichenden Störung auf das Spannungsfeld. Report, University of Karlsruhe.
- [13] Becker, A. and Paladini, S. (1990). In situ-Spannungen in Nord- und Mitteleuropa. *Schriftenreihe Angewandte Geologie Karlsruhe, Band 10*.
- [14] Becker, A. and Paladini, S. (1992). Intra-plate stresses in Europe and plate-driving mechanisms. *Annales Tectonicae*, VI(2):173–192.
- [15] Becker, A. and Werner, D. (1994). Strain measurements with the borehole slotter. *Terra Nova*, 6(6):608–617.
- [16] Becker, A. (1985). *Messungen und Interpretation oberflächennaher in-situ-Spannungen am Südost-Ende des Oberrheingrabens und im Tafeljura*. Doctoral thesis, University of Karlsruhe.
- [17] Becker, A. (1999). In situ stress data from the Jura Mountains; new results and interpretation. *Terra Nova*, 11(1):9–15.
- [18] Becker, A. (2000). The Jura Mountains - an active foreland fold-and-thrust belt? *Tectonophysics*, 321:381–406.
- [19] Berghofer, K. (1998). Entwicklung und Trends bei der Fracstimulation von Rotliegend Erdgasbohrungen. In *Frühjahrstagung, Aufsuchung und Gewinnung; Celle, Germany*, 9801, pages 99–112. DGMK Deutsche Wissenschaftliche Gesellschaft für Erdöl, Erdgas und Kohle.
- [20] Brudy, M. (1995). *Determination of in-situ stress magnitude and orientation to 9 km depth at the KTB site*. PhD thesis, University of Karlsruhe.

- [21] Brady, M., Zoback, M., Fuchs, K., Rummel, F., and Baumgärtner, J. (1997). Estimation of the complete stress tensor to 8 km depth in the KTB scientific drill holes: Implications for crustal strength. *Journal of Geophysical Research*, 102:18,453–18,475.
- [22] Brückl, E., Roch, K., and Scheidegger, A. (1975). Significance of stress measurements in the Hochkönig Massif in Austria. *Developments in Geotectonics*, 9:315–322.
- [23] Budach, I., Moeck, I., Lüschen, E., and Wolfgramm, M. (2017). Temporal evolution of fault systems in the Upper Jurassic of the Central German Molasse Basin: case study Unterhaching. *International Journal of Earth Sciences*, 102(2):635–653.
- [24] Carniel, P. and Roch, K.-H. (1976). In situ Gebirgsspannungsmessungen im Felbertal, Österreich. *Riv. Ital. geof. sci. aff.*, 3:233–240.
- [25] Cornet, F. H., Berard, T., and Bourrouis, S. (2007). How close to failure is a granite rock mass at a 5 km depth? *International Journal of Rock Mechanics & Mining Sciences*, 44:47–66.
- [26] Cornet, F. and Burlet, D. (1992). Stress field determination in France by hydraulic tests in boreholes. *Journal of Geophysical Research*, 97:11,829–11,849.
- [27] Cornet, F. (1982). Analysis of Injection Tests for In Situ Stress Determination. In *Proceedings of Workshop XVII - Workshop on Hydraulic Fracturing Stress Measurements; Convened under Auspices of National Earthquake Hazards Reduction Program, 2-5 December 1981; Sponsored by U.S. National Committee of Rock Mechanics*, pages 414–443, Menlo Park, California. United States Department of the Interior Geological Survey.
- [28] Cornet, F. (1988). Two examples of stress measurements by the H.T.P.F. method. *The 29th U.S. Symposium on Rock Mechanics (USRMS), 13-15 June, Minneapolis, Minnesota*, pages 615–624.
- [29] Drews, M. C., Hofstetter, P., Zosseder, K., Straubinger, R., Gahr, A., and Stollhofen, H. (2019a). Predictability and controlling factors of overpressure in the North Alpine Foreland Basin, SE Germany: an interdisciplinary post-drill analysis of the Geretsried GEN-1 deep geothermal well. *Geothermal Energy*, 7(1):3.
- [30] Drews, M. C., Seithel, R., Savvatis, A., Kohl, T., and Stollhofen, H. (2019b). A normal-faulting stress regime in the Bavarian Foreland Molasse Basin? New evidence from detailed analysis of leak-off and formation integrity tests in the greater Munich area, SE-Germany. *Tectonophysics*, 755:1–9.
- [31] Elmohandes, S.-E. (1982). *Geotektonische Modellversuche zur Grabenbildung ergänzt durch in situ-stress Messung am Nordende des Rheingrabens bei Wetzlar*. Diploma thesis, University of Karlsruhe.
- [32] Fleckenstein, P., Reuschke, G., Müller, B., and Connolly, P. (2004). Predicting stress re-orientations associated with major geological structures in sedimentary sequences. DGMK research report 593-5, Geophysical Institute University of Karlsruhe. unpublished.
- [33] Greiner, G. and Illies, J. H. (1977). Central Europe: Active or Residual Tectonic Stresses. *Pageoph*, 115:12–26.
- [34] Greiner, G. (1975a). In-situ stress measurements in southwest Germany. *Tectonophysics*, 29:265–274.
- [35] Greiner, G. (1975b). In-situ stress measurements in the region of the Rhine graben rift system. Progress Report, Geodynamics Project.
- [36] Greiner, G. (1978). *Spannungen in der Erdkruste, Bestimmung und Interpretation am Beispiel von in-situ Messungen im süddeutschen Raum*. Doctoral thesis, University of Karlsruhe.
- [37] Grünthal, G. and Stromeyer, D. (1992). The recent crustal stress field in central Europe: Trajectories and finite element modeling. *Journal of Geophysical Research*, 97(B8):11,805–11,820.
- [38] Gysel, M. (1975). In-situ stress measurements of the primary stress state in the Sonnenberg tunnel in Lucerne, Switzerland. *Tectonophysics*, 29(1):301 – 314. Recent crustal movements.
- [39] Häring, M. O., Schanz, U., Ladner, F., and Dyer, B. C. (2008). Characterisation of the Basel 1 enhanced geothermal system. *Geothermics*, 37(5):469–495.
- [40] Hartkorn, P. (1993). Schacht Pöthen. - Interfels-Bericht 9396-S. Report, Interfels GmbH.
- [41] Illies, J. and Greiner, G. (1978). Rhinegraben and the Alpine system. *Geological Society of America Bulletin*, pages 770–782.
- [42] Illies, J. and Greiner, G. (1979). Holocene movements and state of stress in the Rhinegraben rift system. *Tectonophysics*, 52:347–359.

- [43] Innerhofer, G. (1977). Stress measurements of the rock - mass in the headrace tunnel Langenegg. *International Symposium on Field Measurements in Rock Mechanics*, pages 247–253.
- [44] Klee, G. and Becker, F. (2013). SBB Bözbergtunnel Projekt. Hydraulic-Fracturing Spannungsmessungen in der Bohrung B2/13. Report, NAGRA, MeSy Solexperts.
- [45] Klee, G. and Rummel, F. (1993). Hydrofrac Stress Data for the European HDR Research Project Test Site Soultz-Sous-Forêts. *Int. J. Rock Mech. Min. Sci. & Geomech. Abstr.*, 30(7):973–976.
- [46] Klee, G. and Rummel, F. (1999). Sondierbohrung Benken: Hydrofrac-Spannungsmessungen. Internal Report, Nagra, Wettingen.
- [47] Kohlbeck, F., Scheidegger, A., and Sturgul, J. (1979). Geomechanical model of an Alpine valley, Wien. *Rock Mechanics*, 12:1–14.
- [48] Kohlbeck, F., Roch, K., and Scheidegger, A. (1980). In Situ stress measurements in Austria. *Rock Mechanics*, Supplement 9:21–29.
- [49] Konietzky, H., Walter, K., and Lunow, C. (2010). Tiefengeothermie Sachsen, Teilbericht 1/4, Spannungsfeld und Materialdaten. Report, Technische Universität Bergakademie Freiberg, Institut für Geotechnik, Lehrstuhl für Felsmechanik.
- [50] Kraft, K.-H. (1984). *In situ Gesteinsspannungsmessungen im Grund- und Deckgebirge von Oberfranken/Nordost-Bayern*. Doctoral thesis, University of Bayreuth.
- [51] Leopoldt, W. (1978). *In situ Spannungsmessungen im Bereich des nördlichen Kaiserstuhls/Südwestdeutschland*. Diploma thesis, University of Karlsruhe, Germany. unpublished.
- [52] Martin, C. and Lanyon, G. (2003). Measurement of in-situ stress in weak rocks at Mont Terri Rock Laboratory, Switzerland. *International Journal of Rock Mechanics and Mining Sciences*, 40:1077–1088.
- [53] Meixner, J., Schill, E., Gaucher, E., and Kohl, T. (2014). Inferring the in situ stress regime in deep sediments: an example from the Bruchsal geothermal site. *Geothermal Energy*, 2(7).
- [54] Mjakisev, V. (1983). *Untersuchung des Gebirgsspannungszustandes im Südostteil der DDR*. Doctoral thesis, Bergakademie Freiberg.
- [55] Moeck, I., Schandelmeier, H., and Holl, H.-G. (2009). The stress regime in a Rotliegend reservoir of the Northeast German Basin. *Int. J. Earth Sc.*, 98:1643–1654.
- [56] NAGRA (2001). Sondierbohrung Benken. Untersuchungsbericht Nagra Technical Reports NTB 00-01, NAGRA.
- [57] Natau, O. and Wenz, E. (1984). Bestimmung des vollständigen Spannungszustandes mit verschiedenen Meßmethoden in der Süddeutschen Scholle und im Harz. Bericht an die DFG, SFB 108 A2, Karlsruhe.
- [58] Oldeboershuis, H. and Hartkorn, P. (1993). Pumpspeicherwerk Goldisthal. - Interfels-Bericht 9328. Report, Interfels GmbH.
- [59] Orzol, J., Jung, R., Jatho, R., Tischner, T., and Kehrer, P. (2005). The GeneSys-Project: Extraction of geothermal heat from tight sediments. In *Proceedings of the World Geothermal Congress, Antalya, Turkey, 24-29 April 2005*, pages 1–9.
- [60] Pust, G. and Schamp, J. (1995). Horizontal-Multifrac Söhlingen Z-10: Bohrtechnische Planung und Durchführung. *Erdöl, Erdgas, Kohle*, 10:413–417.
- [61] Röckel, T. and Lempp, C. (2003). Der Spannungszustand im Norddeutschen Becken. *Erdöl, Erdgas, Kohle*, 119(2):73–80.
- [62] Röckel, T. and Natau, O. (1993). Estimation of the maximum horizontal stress magnitude from drilling induced fractures and centerline fractures at the KTB drill site. *KTB Report*, 93(2):183–186.
- [63] Rummel, F. and Baumgärtner, J. (1982). Spannungsmessungen im östlichen Bereich der Südwestdeutschen Scholle. Report RUB-7084408-82-3, Ruhr University Bochum to the Federal Bureau of Geoscience and Resources, Hannover.
- [64] Rummel, F. and Baumgärtner, J. (1983). Manipulation der Frac-Ausbreitung im geklüftetem Fels, Laborversuche und Feldversuche im Testgebiet Falkenberg. Annual Report 1982 RUB Az. 7084404-82, Ruhr-Universität Bochum, Institut für Geophysik.
- [65] Rummel, F., Baumgaertner, J., and Alheid, H. J. (1983). Hydraulic Fracturing Stress Measurements Along the Eastern Boundary of the SW-German Block. In *Hydraulic fracturing stress measurements*, pages 3–17. National Academy Press.

- [66] Rummel, F. and Baumgaertner, J. (1987). Hydrofrac Spannungsmessungen in den geothermischen Erkundungsbohrungen des KTB-Programms im Schwarzwald und in der Oberpfalz. Report, Ruhr-Universität Bochum, Institut für Geophysik. Bericht an die DFG, DFG-Az.: Ru 225/9-1.
- [67] Rummel, F. and Baumgärtner, J. (1992). Hydraulic fracturing stress measurements in the GPK1 borehole, Soultz-Sous-Forêts. In Bresee, J., editor, *Geothermal Energy in Europe, The Soultz Hot Dry Rock Project*, page 119. Gordon & Breach Science Publishers.
- [68] Rummel, F. and Jung, R. (1975). Hydraulic Fracturing stress measurements near the Hohenzollern-Graben structure, SW Germany. *Pure Applied Geophysics*, 113:321–330.
- [69] Rummel, F. and Winter, R. B. (1983). Fracture mechanics approach to hydraulic fracturing stress measurements. *Earthquake Prediction Research*, 2:33–45.
- [70] Rummel, F. (1980). Hydraulic Fracturing Spannungsmessungen in der Bohrung KB 28/5 (NBS H/W Süd, Mühlbergtunnel). Report, Ruhr University Bochum.
- [71] Rummel, F. (1983). Personal Communication.
- [72] Schirmer, P. (1978). *In situ Spannungsmessungen in Baden-Baden und deren Interpretation*. Diploma thesis, University of Karlsruhe. unpublished.
- [73] Schmitt, T. (1981). The West European stress field: new data and interpretation. *Journal of Structural Geology*, 3:309–315.
- [74] Seithel, R., Steiner, U., Müller, B., Hecht, C., and Kohl, T. (2015). Local stress anomaly in the Bavarian Molasse Basin. *Geothermal Energy*, 3(4).
- [75] Tischner, T., Evers, H., Hauswirth, H., Jatho, R., Kosinowski, M., and Sulzbacher, H. (2010). New concepts for extracting geothermal energy from one well: the GeneSys-Project. In *Proceedings of the world geothermal congress, Bali, Indonesia, 25-29 April 2010*.
- [76] Tischner, T., Krug, S., Pechan, E., Hesshaus, A., Jatho, R., Bischoff, M., and Wonik, T. (2013). Massive hydraulic fracturing in low permeable sedimentary rock in the GeneSys project. In *Proceedings, Thirty-Eights Workshop on Geothermal Reservoir Engineering, SGP-TR-198, Stanford University, Stanford, California, 11-13 February 2013*.
- [77] Trautwein, U. and Huenges, E. (2005). Poroelastic behaviour of physical properties in Rotliegend sandstones under uniaxial strain. *International Journal of Rock Mechanics & Mining Sciences*, 42:924–932.
- [78] Trautwein-Brunns, U., Schulze, K. C., Becker, S., Kukla, P. A., and Urai, J. L. (2010). In situ stress variations at the Variscan deformation front - Results from the deep Aachen geothermal well. *Tectonophysics*, 493:196–211.
- [79] Valley, B. and Evans, K. F. (2007). Stress state at Soultz-Sous-Forêts to 5 km depth from well-bore failure and hydraulic observations. In *Proceedings of the 32nd workshop on geothermal reservoir engineering. Stanford University, Stanford, California, January 22-24, 2007*.
- [80] Valley, B. and Evans, K. F. (2019). Stress magnitudes in the Basel enhanced geothermal system. *International Journal of Rock Mechanics and Mining Sciences*, 118:1–20.
- [81] Wolter, K. E. and Berners, H. (2000). Bohrlochstabilität in Abhängigkeit von den Gebirgsspannungsverhältnissen. *Erdöl, Erdgas, Kohle*, 116(10).
- [82] Wolter, K. (1987). *Untersuchung der in situ Spannung, Residualspannung und der Mikroriss-Systeme in Graniten Süddeutschlands*. Doctoral thesis, University of Karlsruhe.
- [83] Zoback, M. and Harjes, H.-P. (1997). Injection-induced earthquakes and crustal stress at 9 km depth at the KTB deep drilling site. *Journal of Geophysical Research*, 102:18,477–18,491.