

## 6 Literaturverzeichnis

- Ando, H., Adachi, M., Umeda, K., Matsuura, A., Nonaka, M., Uchio, R., Tanaka, H., Motoki, M. (1989).  
Purification and characteristics of a novel transglutaminase derived from microorganisms.  
*Agric. Biol. Chem.* **53**, 2613-2617.
- Andou, H., Matsuura, A., Hirose, S. (1993).  
Process for producing a transglutaminase derived from *Streptomyces*.  
U.S. Patent: 5,252,469.
- Angleton, E.L. und Van Wart, H.E. (1988).  
Preparation and reconstitution with divalent metal ions of class I and class II *Clostridium histolyticum*  
apocollagenases.  
*Biochemistry* **27**, 7406-7412.
- Angleton, E.L. und Van Wart, H.E. (1988).  
Preparation by direct metal exchange and kinetic study of active site metal substituted class I and class  
II *Clostridium histolyticum* collagenases.  
*Biochemistry* **27**, 7413-7418.
- Antonczak, S., Monard, G., Ruiz-Lopez, M. Rivail, J.-L. (2000).  
Insight in the peptide hydrolysis mechanism by thermolysin:  
A theoretical QM/MM study.  
*J. Mol. Model.* **6**, 527-538.
- Aoyagi, T., Tobe, H., Kojima, F., Hamada, M., Takeuchi, T., Umezawa, H. (1978).  
Amastatin, an inhibitor of aminopeptidase A, produced by actinomycetes.  
*J. Antibiot. (Tokyo)* **31**, 636-8.
- Aphale, J.S. und Strohl, W.R. (1993).  
Purification and properties of an extrazellulär aminopeptidase from *Streptomyces lividans* 1326.  
*J.Gen. Microbiol.* **139**, 417-424.
- Attwell, R.W., Cross, T., Locci, R. (1973).  
Fine structure of the spore sheath in *Streptovorticillium* species.  
*J. Gen. Microbiol.* **71**, 421-424.
- Awad, W.M. Jr, Soto, A.R., Siegel, S., Skiba, W.E., Bernstrom, G.G., Ochoa, M.S. (1972).  
The proteolytic enzymes of the K-1 strain of *Streptomyces griseus* obtained from a commercial  
preparation (Pronase). I. Purification of four serine endopeptidases.  
*J. Biol. Chem.* **247**, 4144-4154.
- Ayora, S und Gotz, F. (1994)  
Genetic and biochemical properties of an extracellular neutral metalloprotease  
from *Staphylococcus hyicus* subsp. *hyicus*.  
*Mol. Gen. Genet.* **242**, 421-430.
- Baker, D., Shiau, A.K., Agard, D.A. (1993).  
The role of pro regions in protein folding.  
*Curr. Opin. Cell Biol.* **5**, 966-970.
- Baldacci, E. (1958).  
Genus *Streptovorticillium*  
In: Bergey's Manual of systematic Bacteriology, Vol. **2**, Sektion 29.
- Bascaran, V., Hardisson, C., Brana, A. F. (1990).  
Regulation of extracellular protease production in *Streptomyces clavuligerus*.  
*Appl. Microbiol. Biotech.* **34**, 208-213.

- Beaumont, A., O'Donohue, M.J., Paredes, N., Rousselet, N., Assicot, M., Bohuon, C., Fournie-Zaluski, M.C., Roques, B.P. (1995).  
The role of histidine 231 in thermolysin-like enzymes. A site-directed mutagenesis study.  
*J. Biol. Chem.* **270**, 16803-16808.
- Bentley, S.D., Chater, K.F., Cerdeno-Tarraga, A.M., Challis, G.L., Thomson, N.R., James, K.D., Harris, D.E., Quail, M.A., Kieser, H., Harper, D., Bateman, A., Brown, S., Chandra, G., Chen, C.W., Collins, M., Cronin, A., Fraser, A., Goble, A., Hidalgo, J., Hornsby, T., Howarth, S., Huang, C.H., Kieser, T., Larke, L., Murphy, L., Oliver, K., O'Neil, S., Rabinowitsch, E., Rajandream, M.A., Rutherford, K., Rutter, S., Seeger, K., Saunders, D., Sharp, S., Squares, R., Squares, S., Taylor, K., Warren, T., Wietzorrek, A., Woodward, J., Barrell, B.G., Parkhill, J., Hopwood, D.A. (2002).  
Complete genome sequence of the model actinomycete *Streptomyces coelicolor* A3(2).  
*Nature* **417**, 141-147.
- Binnie, C., Butler, M.J., Aphale, J.S., Bourgault, R., DiZonno, M.A., Krygsman, P., Liao, L., Walczyk, E., Malek, L.T. (1995).  
Isolation and characterization of two genes encoding protease associated with the mycelium of *Streptomyces lividans* 66.  
*J. Bacteriol.* **177**, 6033-6044.
- Binnie, C., Butler, M.J., Aphale, J.S., DiZonno, M.A., Krygsman, P., Walczyk, E., Malek, L.T. (1995).  
Cloning and characterization of a gene from *Streptomyces lividans* 66 encoding a secreted aminopeptidase of the serine protease family.  
Unpublished.
- Blomgren, H., Strender, L.E., Edsmyrn, F. (1980).  
Bestatin treatment and the peripheral lymphocyte population in cancer patients.  
*Recent Results Cancer Res.* **75**, 133-138.
- Blum, M., Beier, H., Gross, H. J. (1987).  
Improved silverstaining of plant proteins, RNA and DNA in polyacrylamide gels.  
*Electrophoresis* **8**, 349-351.
- Bode, W. und Huber, R. (1992).  
Natural protein proteinase inhibitors and their interaction with proteinase.  
*Eur. J. Biochem.* **204**, 433-451.
- Bode, W. und Huber, R. (2000).  
Structural basis of the endoproteinase-protein inhibitor interaction.  
*Biochim. Biophys. Acta.* **1477**, 241-252.
- Boumans, J.W.L., Wijnbenga, D.-J., Bos, H.T.P., Wijngaards, G., Heeres, A. (2001).  
Method for modification of proteins by transglutaminase.  
Europäisches Patent: EP 1146121 A1.
- Brana, A.F., Mendez, C., Diaz, L.A., Manzanal, M.B., Hardisson, C. (1986).  
Glycogen and trehalose accumulation during colony development in *Streptomyces antibioticus*.  
*J. Gen. Microbiol.* **132**, 1319-1326.
- Braun, P., Gerritse, G., van Dijl, J.-M., Quax, W.J. (1999).  
Improving protein secretion by engineering components of the bacterial translocation machinery.  
*Curr. Opin. Biotech.* **10**, 376-381.
- Braun, P., Bitter, W., Tommassen, J. (2000).  
Activation of *Pseudomonas aeruginosa* elastase in *Pseudomonas putida* by triggering dissociation of the propeptide-enzyme complex.  
*Microbiol.* **146**, 2565-2572.

- Braun, P., Ockhuijsen, C., Eppens, E., Koster, M., Bitter, W., Tommassen, J. (2001).  
Maturation of *Pseudomonas aeruginosa* elastase. Formation of the disulfide bonds.  
J. Biol. Chem. **276**, 26030-26035.
- Bron, S., Bolhuis, A., Tjalsma, H., Holsappel, S., Venema, G., van Dijl, J.M. (1998).  
Protein secretion and possible roles for multiple signal peptidases for precursor processing in Bacilli.  
J. Biotechnol. **64**, 3-13.
- Bruton, C.J., Plaskitt, K.A., Chater, K.F. (1995).  
Tissue-specific glycogen branching isoenzymes in a multicellular prokaryote, *Streptomyces coelicolor* A3(2).  
Mol. Microbiol. **18**, 89-99.
- Buroker, K. M. and Wang, K. K. W. (1993).  
A coomassie brilliant blue G250-based colorimetric assay for measuring activity of calpain and other proteases.  
Anal. Biochem. **72**, 248-254.
- Butler, M.J., Binnie, C., DiZonno, M.A., Krygsmann, P., Soltes, G.A., Soostmeyer, G., Walczyk, E., Malek, L.T. (1995).  
Cloning and characterization of a gene encoding a secreted tripeptidyl aminopeptidase from *Streptomyces lividans* 66.  
Appl. Environ. Microbiol. **61**, 3145-3150.
- Butler, M. J., Aphale, J. S., Binnie, C., DiZonno, M. A., Krygsmann, P., Soltes, G., Walczyk, E., Malek, L. T. (1996).  
Cloning and analysis of a gene from *Streptomyces lividans* 66 encoding a novel secreted protease exhibiting homology to subtilisin BPN'.  
Appl. Microbiol. Biotechnol. **45**, 141-147.
- Chang, P.C., Kuo, T.-C; Tsugita, A., Lee, Y.-H. W. (1990).  
Extracellular metalloprotease gene of *Streptomyces cacaoi*: structure, nucleotide sequence and characterization of the cloned gene product.  
Gene **88**, 87-95.
- Chang, S.-C., Chang, P.-C., Lee, Y.-H. W. (1994).  
The roles of propeptide in maturation and secretion of Npr protease from *Streptomyces*.  
J. Biol. Chem. **269**, 3548-3554.
- Chang, S.-C., Su, M.-H., Lee, Y.-H. W. (1997).  
Roles of the signal peptide and mature domains in the secretion and maturation of the neutral metalloprotease from *Streptomyces cacaoi*.  
Biochem. J. **321**, 29-37.
- Chater, K.F. (1972).  
A morphological and genetic mapping study with white colony mutants of *Streptomyces coelicolor*.  
J. Gen. Microbiol. **72**, 9-28.
- Chater, K.F. (1989).  
Sporulation in *Streptomyces*.  
Reg. Prokaryotic. Dev. 277-299.
- Chater, K.F. (1993).  
Genetics of differentiation in *Streptomyces*.  
Annu.Rev.Microbiol. **47**, 685-713.
- Clarke, D. D., Mycek, M. J., Neidle, A. und Waelsch, H. (1959).  
The incorporation of amines into protein.  
Arch. Biochem. Biophys. **79**, 338-354.

- Coleman, R.H., Ensign, J.C. (1982).  
Regulation of formation of aerial mycelia and spores of *Streptomyces viridochromogenes*.  
J. Bacteriol. **149**, 1102-1111.
- Corvol, P., Devaux, C., Menard, J.(1973).  
Pepstatin, an inhibitor for renin purification by affinity chromatography.  
FEBS Lett. **34**, 189-192.
- Dahlquist, F.W., Long, J.W., Bigbee, W.L. (1976).  
Role of Calcium in the thermal stability of thermolysin.  
Biochemistry. **15**, 1103-1111.
- Dawson, R.M., Elliot, D.C., Elliot, E.H., Jones, K.M. (1995).  
Data for biochemical research.  
Meth. Enzym. **1**, 76.
- Deák, E., Szabo, I., Kálmáczhelyi, Gál, Z., Barabás, G., Penyige, A. (1998).  
Membrane-bound and extracellular  $\beta$ -lactamase production with developmental regulation in  
*Streptomyces griseus* NRRL B-2682.  
Microbiol. **144**, 2169-2177.
- Demleitner, G. und Götz, F. (1994).  
Evidence for the importance of the *Staphylococcus hyicus* lipase pro-peptide in lipase secretion,  
stability and activity.  
FEMS Lett. Microbiol. **121**, 189-198.
- Drapeau, G.R. (1978).  
Role of metalloprotease in activation of the precursor of staphylococcal protease.  
J. Bacteriol. **136**, 607-613.
- Duran, R., Junqua, M., Schmitter, J.M., Gancet, C., Goulas, P. (1998).  
Purification, characterization, and gene cloning of transglutaminase from *Streptoverticillium*  
*cinnamomeum* CBS 683.68.  
Biochimie **80**, 313-319.
- Economou, A. (1999).  
Following the leader: bacterial protein export through the Sec pathway.  
Trends in Microbiol. **8**, 315-320.
- Ensign, J.C. (1978).  
Formation, properties, and germination of actinomycete spores.  
Annu. Rev. Microbiol. **32**, 185-219.
- Feder, J. und Garrett, L.R. (1971).  
A rapid method for removal of zinc from the metallo neutral proteases.  
Biochem. Biophys. Res. Commun. **43**, 943-948.
- Fernandez. M. und Sanchez, J. (2002).  
Nuclease activities and cell death processes associated with the development of surface cultures of  
*Streptomyces antibioticus* ETH 7451.  
Microbiol. **148**, 405-12.
- Folk, J.E., Cole, P.W., Mullooly, J.P. (1968).  
Mechanism of action of guinea pig liver transglutaminase. V. The hydrolysis reaction.  
J. Biol. Chem. **243**, 418-427.
- Folk, J. E. und Finlayson J. S. (1977).  
The  $\epsilon$ -( $\gamma$ -glutamyl)lysine cross-link and the catalytic role of transglutaminases.  
Adv. Protein Chem. **31**, 1-133.

- Fontana, A. (1988).  
Structure and stability of thermophilic enzymes. Studies on thermolysin.  
Biophys. Chem. **29**, 181-193.
- Fradkov, A., Berezhnoy, S., Barsova, E., Zavalova, L., Lukyanov, S., Baskova, I., Sverdlov, E.D. (1996).  
Enzyme from the medicinal leech (*Hirudo medicinalis*) that specifically splits endo-epsilon(-gamma-Glu)-Lys isopeptide bonds: cDNA cloning and protein primary structure.  
FEBS Lett. **390**, 145-148.
- Friedrich, T., Kröger, B., Koerwer, W., Strube, K.H., Meyer, T., Bialojan, S. (1998).  
An isopeptide bond splitting enzyme from *Hirudo medicinalis* similar to  $\gamma$ -glutamyl transpeptidase.  
Eur. J. Biochem. **256**, 297-302.
- Fuchsbauer, H.-L., Gerber, U., Engelmann, J., Seeger, T., Sinks, C., Hecht, T. (1996).  
Influence of gelatin matrices crosslinked with transglutaminase on the properties of an enclosed bioactive material using  $\beta$ -galactosidase as model system.  
Biomaterials **17**, 1481-1488.
- Fu, X., Inouye, M., Shinde, U. (2000).  
Folding pathway mediated by an intramolecular chaperone.  
J. Biol. Chem. **275**, 16871-16878.
- Galagan, J.E., Nusbaum, C., Roy, A., Endrizzi, M.G., Macdonald, P., FitzHugh, W., Calvo, S., Engels, R., Smirnov, S., Atnoor, D., Brown, A., Allen, N., Naylor, J., Stange-Thomann, N., DeArellano, K., Johnson, R., Linton, L., McEwan, P., McKernan, K., Talamas, J., Tirrell, A., Ye, W., Zimmer, A., Barber, R.D., Cann, I., Graham, D.E., Grahame, D.A., Guss, A., Hedderich, R., Ingram-Smith, C., Kuettner, C.H., Krzycki, J.A., Leigh, J.A., Li, W., Liu, J., Mukhopadhyay, B., Reeve, J.N., Smith, K., Springer, T.A., Umayam, L.A., White, O., White, R.H., de Macario, E.C., Ferry, J.G., Jarrell, K.F., Jing, H., Macario, A.J.L., Paulsen, I., Pritchett, M., Sowers, K.R., Swanson, R.V., Zinder, S.H., Lander, E., Metcalf, W.W. and Birren, B. (2002).  
The genome of *M. acetivorans* reveals extensive metabolic and physiological diversity.  
Genome Res. **12**, 532-42.
- Gerber, U., Jucknischke, U., Putzien, S., Fuchsbauer, H.-L. (1994).  
A rapid and simple method for the purification of transglutaminase from *Streptovercillium mobaraense*.  
Biochem. **299**, 825-829.
- Gibb, G. D. und Strohl, W. R. (1988).  
Physiological regulation of protease activity in *Streptomyces peucetius*.  
Can. J. Microbiol. **34**, 187-190.
- Ginther, C. L. (1979).  
Sporulation and the production of serine protease and Cephmycin C by *Streptomyces lactamdurans*.  
Antimicrob. Agents and Chemoth. **15**, 522-526.
- Goodfellow, M., Cross, T. (1984).  
Classification.  
In Goodfellow, Mordarsky and Williams; The Biology of the Actinomycetes, Academic Press, London, 7-164.
- Greenberg, C. S., Birckbichler, P. J., Rice, R. H. (1991).  
Transglutaminases: multifunctional cross-linking enzymes that stabilize tissues.  
FASEB J. **5**, 3071-3077.
- Grossowicz, N., Wainfan, E., Borek, E. und Waelsch, H. (1950).  
The enzymatic formation of hydroxamic acids from glutamine and asparagine.  
J. Biol. Chem. **187**, 111-125.

- Guijarro, J., Santamaria, R., Schauer, A., Losick, R. (1988).  
Promoter determining the timing and spatial localization of transcription of a cloned *Streptomyces coelicolor* gene encoding a spore-associated polypeptide.  
J. Bacteriol. **170**, 1895-1901.
- Hain, T., Ward-Rainey, N., Kroppenstedt, R.M., Stackebrandt, E., Rainey, F.A. (1997).  
Discrimination of *Streptomyces albidoflavus* strains based on the size and number of 16S-23S ribosomal DNA intergenic spacers.  
Int. J. Syst. Bacteriol. **47**, 202-206.
- Hardisson, C., Manzanal, M.B., Salas, J.A. Suarez J.E. (1978).  
Fine structure, physiology and biochemistry of arthrospore germination in *Streptomyces antibioticus*.  
J. Gen. Microbiol. **105**, 203-214.
- Henderson, G., Krygsmann, P., Liu, C.J., Davey, C.C., Malek, L.T. (1987).  
Characterization and structure of genes for proteases A and B from *Streptomyces griseus*.  
J. Bacteriol. **169**, 3778-3784.
- Hiemstra, P.S. (2002).  
Novel roles of protease inhibitors in infection and inflammation.  
Biochem. Soc. Trans. **30**, 116-20.
- Hiraga, K., Suzuki, T., Oda, K. (2000).  
A novel double-headed proteinaceous inhibitor for metalloproteinase and serine proteinase.  
J. Biol. Chem. **275**, 25173-25179.
- Hiramatsu, A. und Ouchi, T. (1972).  
A neutral proteinase from *Streptomyces naraensis*.  
J. Biochem. **71**, 767-781.
- Hirono, S., Akagawa, H., Mitsui, Y., Iitaka, Y. (1984).  
Crystal structure at 2.6 Å resolution of the complex of subtilisin BPN' with *Streptomyces* subtilisin inhibitor.  
J. Mol. Biol. **178**, 389-414.
- Ho, M.L., Leu, S.Z., Hsieh, J.F., Jiang, S.T. (2000).  
Technical approach to simplify the purification method and characterization of microbial transglutaminase produced from *Streptoverticillium ladakanum*.  
J. Food. Sci. **65**, 76-80.
- Holmes, M.A. und Matthews, B.W. (1982).  
Structure of thermolysin refined at 1.6 Å resolution.  
J. Mol. Biol. **160**, 623-639.
- Holmes, M.A., Tronrud, D.E., Matthews, B.W. (1983).  
Structural analysis of the inhibition of thermolysin by an active-site-directed irreversible inhibitor.  
Biochem. **22**, 236-240.
- Holmquist, B., Vallee, B.L. (1974).  
Metal substitutions and inhibition of thermolysin: spectra of the cobalt enzyme.  
J. Biol. Chem. **249**, 4601-4607.
- Huang, X. L., Catignani, G. L., Swaisgood, H. E. (1995).  
Immobilization of biotinylated transglutaminase by bioselective adsorption to immobilized avidin and characterization of the immobilized activity.  
J. Agric. Food Chem. **43**, 895-901.
- Huang, Y. und Wang, K.K. (2001).  
The calpain family and human disease.  
Trends Mol. Med. **7**, 355-362.

- Hubbard, T.J., Ailey, B., Brenner, S.E., Murzin, A.G., Chothia, C. (1999).  
SCOP: a Structural Classification of Proteins database.  
Nucleic Acids Res. **27**, 254-256.
- Ikura, K., Nasu, T., Yokota, H., Sasaki, R., Chiba, H. (1987).  
Cloning of cDNA coding for guinea pig liver transglutaminase.  
Agric. Biol. Chem. **51**, 957-961.
- Josten, A., Meusel, M., Spener, F. (1998).  
Microbial Transglutaminase-mediated synthesis of Hapten-Protein conjugates for immunoassays.  
Anal. Biochem. **258**, 202-208.
- Kajiwara, K., Fujita, A., Tsuyuki, H., Kumazaki, T., Ishii, S. (1991).  
Interactions of Streptomyces serine-protease inhibitors with *Streptomyces griseus*  
metalloendopeptidase II.  
J. Biochem. **110**, 350-354.
- Kajiwara, K., Kumazaki, T., Sato, E., Kanaoka, Y., Ishii, S. (1991).  
Application of bimane-peptide substrates to spectrofluorometric assays of  
metalloendopeptidases.  
J. Biochem. **110**, 345-349.
- Kalakoutsii, L.V. und Agre, N.S. (1976).  
Comparative aspects of development and differentiation in actinomycetes.  
Bacteriol. Rev. **40**, 469-524.
- Kanaji, T., Ozaki, H., Takao, T., Kawajiri, H., Die, H., Motoki, M., Shimonishi, Y. (1993).  
Primary structure of microbial transglutaminase from Streptovercillium sp. Strain s-8112.  
J. Biol. Chem. **268**, 11565-11572.
- Kang, S.G., Kim, I.S., Rho, Y.T., Lee, K.J. (1995).  
Production dynamics of extracellular proteases accompanying morphological differentiation of  
*Streptomyces albidoflavus* SMF301.  
Microbiol. **141**, 3095-3103.
- Kang, H. und Cho, Y. D. (1996).  
Purification and properties of transglutaminase from soybean (*Glycine max*) leaves.  
Biochem. Biophys. Res. Commun. **223**, 288-292.
- Kashiwagi, T., Yokoyama, K.I., Ishikawa, K., Ono, K., Ejima, D., Matsui, H., Suzuki, E.I. (2002).  
Crystal structure of microbial transglutaminase from *Streptovercillium mobaraense*.  
J. Biol. Chem. Sep 7 [PDF-Vorlage, noch nicht gedruckt]
- Kato, T., Takahashi, N., Kuramitsu, H.K. (1992).  
Sequence analysis and characterization of the *Porphyromonas gingivalis* prtC gene, which expresses a  
novel collagenase activity.  
J. Bacteriol. **174**, 3889-3895.
- Kawai, M., Takehana, S., Takagi, H. (1997).  
High-level expression of the chemically synthesized gene for microbial transglutaminase from  
*Streptovercillium* in *Escherichia coli*.  
Biosci. Biotechnol. Biochem. **61**, 830-835.
- Kelemen, G.H., Viollier, P.H., Tenor, J., Marri, L., Buttner, M.J., Thompson, C.J. (2001).  
A connection between stress and development in the multicellular prokaryote  
*Streptomyces coelicolor* A3(2).  
Mol. Microbiol. **40**, 804-814.
- Kendrick, K.E. und Ensign, J.C. (1983).  
Sporulation of *Streptomyces griseus* in submerged culture.  
J. Bacteriol. **155**, 357-366.

- Khan, A.R. und James, M.N.G. (1998).  
Molecular mechanisms for the conversion of zymogens to active proteolytic enzymes.  
*Prot. Sci.* **7**, 815-836.
- Kim, I.-G., Gorman, J.J., Park, S.-C., Chung, S.-I., Steinert, P.M. (1993).  
The deduced sequence of a novel protransglutamiase E (TGase 3) of human and mouse.  
*J. Biol. Chem.* **268**, 12682-12690.
- Kim, S. und Lee, K. J. (1995a).  
Kinetic study on the production and degradation of leupeptin in *Streptomyces exfoliatus* SMF13.  
*J. Biotechnol.* **42**, 35-44.
- Kim, S. & Lee, K. J. (1995b).  
Physiological roles of leupeptin and extracellular proteases in mycelium development of *Streptomyces exfoliatus* SMF 13.  
*Microbiol.* **141**, 1017-1025.
- Kim, S. & Lee, K. J. (1996).  
Trypsin-like protease of *Streptomyces exfoliatus* SMF13, a potential agent in mycelial differentiation.  
*Microbiol.* **142**, 1797-1806.
- Kim, I.S., Kim, Y.B., Lee, K.J. (1998).  
Characterization of the leupeptin-inactivating enzyme from *Streptomyces exfoliatus* SMF13 which produces leupeptin.  
*Biochem. J.* **331**, 539-45.
- Kim, S.Y., Jeitner, T.M., Steinert, P.M. (2002).  
Transglutaminases in disease.  
*Neurochem. Int.* **40**, 85-103.
- Kitagishi, K. und Hiromi, K. (1984).  
Binding between thermolysin and its specific inhibitor, phorphoramidon.  
*J. Biochem.* **95**, 529-534.
- Kleen, A., Höfkes, H., Sättler, A., Otto, R. (2001).  
Method for coloring keratin fibers.  
International Patent: WO 01/21145 A1.
- Klein, J. D., Guzman, E. und Kuehn, G. D. (1992).  
Purification and partial characterization of transglutaminase from *Physarum polycephalum*.  
*J. Bacteriol.* **174**, 2599-2605.
- Kojima, S., Furukubo, S., Kumagai, I., Miura, K. (1993).  
Effects of deletion in the flexible loop of the protease inhibitor SSI (*Streptomyces subtilisin inhibitor*) on interactions with proteases.  
*Protein Eng.* **6**, 297-303.
- Kojima, S., Kumazaki, T., Ishii, S.-I., Miura, K.-I. (1998).  
Primary structure of *Streptomyces griseus* metalloendopeptidase II.  
*Biosci. Biotechnol. Biochem.* **62**, 1392-1398.
- Korn-Wendisch, F. und Kutzner, H.J. (1981).  
The family Streptomycetaceae.  
In: *The Prokaryotes*, **2**, 921-995, Springer-Verlag, Stuttgart.
- Kourteva, Y., Stefanova, L., Konova, O., Peretz, V., Venkov, C. (1995).  
Biosynthesis of extracellular low-molecular-mass papain and trypsin inhibitors by *Streptomyces sp.* 22: effect of cultural conditions.  
*Appl. Microbiol. Biotechnol.* **43**, 131-136.



- Krieger, T.J., Bartfeld, D., Jenish, D.L., Hadary, D. (1994).  
Purification and characterization of a novel tripeptidyl aminopeptidase from *Streptomyces lividans* 66.  
FEBS Letters **352**, 385-388.
- Kumazaki, T., Ishii, S., Yokosawa, H. (1994).  
Inhibition of *Streptomyces griseus* metallo-endopeptidase II (SGMP II) by active-site-directed inhibitors.  
J. Biochem. **115**, 532-535.
- Kuramoto, A., Lezhava, A., Taguchi, S., Momose, H., Kinashi, H. (1996).  
The location and deletion of the genes which code for SSI-like protease inhibitors in *Streptomyces* species.  
FEMS **139**, 37-42.
- Kutzner, H.J., Bottinger, V., Heitzner, R.D. (1978).  
The use of physiological criteria in the taxonomy of *Streptomyces* and *Streptoverticillium*.  
Zentralbl. Bakteriell. Parasitenkd. Infektionskr. Hyg. I Abt. Suppl. **6**, 25-29
- Laemmli, U. K. (1970).  
Cleavage of structural proteins during the assembly of the head of bacteriophage T4.  
Nature **227**, 680-685.
- Lampret, B.R., Kidric, J., Kralj, B., Vitale, L., Pokorny, M., Renko, M. (1999).  
Lapstatin, a new aminopeptidase inhibitor produced by *Streptomyces rimosus*, inhibits autogenous aminopeptidases.  
Arch. Microbiol. **171**, 397-404
- Laskowski, M. Jr. und Kato, I. (1980).  
Protein inhibitors of proteinases.  
Annu. Rev. Biochem. **49**, 593-626.
- Laskowski, M. und Qasim, M.A. (2000).  
What can the structures of enzyme-inhibitor complexes tell us about the structures of enzyme substrate complexes?  
Biochim Biophys Acta. **1477**, 324-337.
- Lazure C. (2002).  
The peptidase zymogen proregions: nature's way of preventing undesired activation and proteolysis.  
Curr. Pharm. Des. **8**, 511-531.
- Lechevalier, M.P. und Lechevalier, H.A. (1970).  
Chemical composition as a criterion in the classification of aerobic actinomycetes.  
Int. J. Syst. Bacteriol. **20**, 435-443.
- Lofqvist, B. (1974).  
Zinc enzymes in commercial Pronase-P. Further characterization of the heterogeneity of the proteolytic enzymes of the K-1 strain of *Streptomyces griseus*.  
Acta Chem. Scand. B. **28**, 1013-1023.
- Lorand, L., Parameswaran, K.N., Stenberg, P., Tong, Y.S., Velasco, P.T., Jonsson, N.A., Mikiver, L., Moses, P. (1979).  
Specificity of guinea pig liver transglutaminase for amine substrates.  
Biochemistry. **18**, 1756-1765.
- Lorand, L. und Conrad, S. M. (1984)  
Transglutaminases.  
Mol. Cell. Biochem. **58**, 9-35.
- Lorand, L. (2001).  
Factor XIII: structure, activation, and interactions with fibrinogen and fibrin.  
Ann. N. Y. Acad. Sci. **936**, 291-311.

- Lusson, J., Benjannet, S., Hamelin, J., Savaria, D., Chretien, M., Seidah, N.G. (1997)  
The integrity of the RRGDL sequence of the proprotein convertase PC1 is critical for its zymogen and C-terminal processing and for its cellular trafficking.  
*Biochem. J.* **326**, 737-44.
- Makarova, K., Aravind, L., Koonin, E.V. (1999).  
A superfamily of archaeal, bacterial, and eukaryotic homologous to animal transglutaminases.  
*Prot. Sci.* **8**, 1714-1719.
- Maras, B., Greenblatt, H. M., Shoham, G, Spungin-Bialik, A., Blumberg, S., Barra, D. (1996).  
Aminopeptidase from *Streptomyces griseus*: primary structure and comparison with other zinc-containing aminopeptidases.  
*Eur. J. Biochem.* **236**, 843-846.
- Matsudaira, P. (1987).  
Sequencing from picomole quantities of proteins electroblotted onto polyvinylidene difluoride membranes.  
*J. Biol. Chem.* **262**, 10035-10038.
- Matthews, B.W. (1988).  
Structural basis of the action of thermolysin and related zinc peptidases.  
*Acc. Chem. Res.* **21**, 333-340.
- Méndez, C., Brana, A. F., Manzanal, M. B., Hardisson, C. (1985).  
Role of substrate mycelium in colony development in *Streptomyces*.  
*Can. J. Microbiol.* **31**, 446-450.
- Mock, W.L. und Stanford, D.J. (1996).  
Arazaformyl dipeptide substrates for thermolysin. Confirmation of a reverse protonation catalytic mechanism.  
*Biochem.* **35**, 7369-7377.
- Morihara, K., Tsuzuki, H., Oka, T. (1968).  
Comparison of the specificities of various neutral proteinases from microorganisms.  
*Arch. Biochem. Biophys.* **123**, 572-588.
- Morihara, K. und Tsuzuki, H. (1971).  
Comparative study of various neutral proteinases from microorganisms: specificity with oligopeptides.  
*Arch. Biochem Biophys.* **146**, 291-296.
- Murai, H., Hara, S., Ikenaka, T., Oda, K. Murao, S. (1985).  
Amino acid sequence of *Streptomyces* metalloproteinase inhibitor from *Streptomyces negrescens* TK-23.  
*J. Biochem.* **97**, 173-180.
- Murao, S., Kitade, T., Oyama, H., Shin, T., (1994).  
Isolation and characterization of a dipeptidyl aminopeptidase from *Streptomyces sp.* WM-23.  
*Biotech. Biochem.* **58**, 1545-1546.
- Nagamine-Natsuka, Y., Norioka, S., Sakiyama, F. (1995).  
Molecular cloning, nucleotide sequence, and expression of the gene encoding a trypsin-like protease from *Streptomyces erythraeus*.  
*J. Biochem.* **118**, 338-346.
- Nakamura, K., Yahagi, S.-I., Yamazaki, T., Yamane, K. (1999).  
*Bacillus subtilis* histone-like protein, Hbsu, is an integral component of a SRP-like particle that can bind the Alu domain of small cytoplasmic RNA.  
*J. Biol. Chem.* **274**, 13569-13576.

- Nakayama, K. (1997).  
Furin: a mammalian subtilisin/Kex2p-like endoprotease involved in processing of a wide variety of precursor proteins.  
*Biochem J.* **327**, 625-635.
- Navarre, W.W., Daefler, S., Schneewind, O. (1996).  
Cell wall sorting of Lipoproteins in *Staphylococcus aureus*.  
*J. Bacteriol.* **178**, 441-446.
- Navarre, W.W. & Schneewind, O. (1999).  
Surface proteins of Gram-positive bacteria and mechanism of their targeting to the cell wall envelope.  
*Mircobiol. Mol. Biol. Res.* **63**, 174-229:
- Nemes, Z., Marekov, L.N., Fesus, L., Steinert, P.M. (1999).  
A novel function for transglutaminase I: attachment of long-chain omega-hydroxyceramides to involucrin by ester bond formation.  
*Proc. Natl. Acad. Sci. U S A.* **96**, 8402-8407.
- Nicieza, R.G., Huergo, J., Connolly, B.A., Sanchez, J. (1999).  
Purification, characterization, and role of nucleases and serine proteases in *Streptomyces* differentiation. Analogies with the biochemical processes described in late steps of eukaryotic apoptosis.  
*J. Biol. Chem.* **274**, 20366-20375.
- Nielsen, J. B. K. und Lampen, O. (1983).  
 $\beta$ -Lactamase III of *Bacillus cereus* 569: Membrane Lipoprotein and secreted protein.  
*Biochem.* **22**, 4652-4656.
- Nielsen, P. M. (1995).  
Reactions and potential industrial applications of transglutaminase. Review of literature and patents.  
*Food Biotechnol.* **9**, 119-156.
- Nielson, H., Engelbrecht, J., Brunak, S., von Heijne, G. (1997).  
Identification of prokaryotic and eukaryotic signal peptides and prediction of their cleavage sites.  
*Prot. Eng.* **10**, 1-6.
- Ning, M.C. und Beynon, R.J. (1986).  
Preparation and purification of the proteinase inhibitor, leupeptin, from culture filtrates of *Streptomyces lavendulae*.  
*Int. J. Biochem.* **18**, 813-820.
- Nirasawa, S., Nakajima, Y., Zhang, Z., Yoshida, M., Hayashi, K. (1994).  
Molecular cloning and expression in *Escherichia coli* of the extracellular endoprotease of *Aeromonas caviae* T-64, a pro-aminopeptidase processing enzyme.  
*Biochim. Biophys. Acta.* **1433**, 335-342.
- Nirasawa, S., Nakajima, Y., Zhang, Z.-Z., Yoshida, M. und Hayashi, K. (1999).  
Intramolekular chaperone and inhibitor activities of a propeptide from bacterial zinc aminopeptidase.  
*Biochem. J.* **341**, 25-31.
- Nodwell, J. R., Yang, M., Kuo, D., Losick, R. (1999).  
Extracellular complementation and the identification of additional genes involved in aerial mycelium formation in *Streptomyces coelicolor*.  
*Genetics* **151**, 569-584.
- Nonaka, M., Tanaka, H., Okiyama, A., Motoki, M., Ando, H., Umeda, K., Matsuura, A. (1989).  
Polymerization of several proteins by  $\text{Ca}^{2+}$  independant transglutaminase derived from microorganisms.  
*Agr. Biol. Chem.* **53**, 2619-2623.

- Nonaka, M., Sawa, A., Matsuura, Y., Motoki, M., Nio, N. (1996).  
Deamination of several food proteins using free and immobilized  $\text{Ca}^{2+}$ -independent microbial transglutaminase.  
Biosci. Biotech. Biochem. **60**, 532-533.
- Novak, R., Charpentier, E., Braun, J.S., Park, E., Murti, S., Tuomanen, E., Masure, R. (2000).  
Extracellular targeting of choline-binding proteins in *Streptococcus pneumoniae* by a zinc metalloprotease.  
Mol. Microbiol. **36**, 366-376.
- Novella, I.S., Barbes, C., Sanchez, J. (1992).  
Sporulation of *Streptomyces antibioticus* ETHZ 7451 in submerged culture.  
Can. J. Microbiol. **38**, 769-773.
- Obata, S., Furukubo, S., Kumagai, I., Takahashi, H., Miura, K. (1989).  
High-level expression in *Streptomyces lividans* 66 of a gene encoding *Streptomyces* subtilisin inhibitor from *Streptomyces albogriseolus* S-3253.  
J. Biochem. **105**, 372-376.
- Oda, K., Takahashi, S., Kikuchi, N., Shibano, Y. (1996).  
A novel proteinaceous Kex 2 proteinase inhibitor, Kexstatin, from *Streptomyces platensis* Q268.  
Biosci. Biotech. Biochem. **60**, 1388-1389.
- Ohta, Y. und Inouye, M. (1990).  
Pro-subtilisin E: purification and characterization of its autoprocessing to active subtilisin E in vitro.  
Mol. Microbiol. **4**, 295-304.
- Ollis, D.L., Cheah, E., Cygler, M., Dijkstra, B., Frolow, F., Franken, S.M., Harel, M., Remington, S.J. (1992).  
The alpha/beta hydrolase fold.  
Protein Eng. **5**, 197-211.
- Pantoliano, M.W., Whitlow, M., Wood, J.F., Rollence, M.L., Finzel, B.C., Gilliland, G.L., Poulos, T.L., Bryan, P.N. (1988).  
The engineering of binding affinity at metal ion binding sites for the stabilization of proteins: subtilisin as a test case.  
Biochemistry **27**, 8311-8317.
- Papir, G., Spungin-Bialik, A., Ben-Meier, D., Fudim, E., Gilboa, R., Greenblatt, H.M., Shoham, G., Lesserl, U., Schomburg, D., Ashkenzi, R., Blumberg, S. (1998).  
Inhibition of *Streptomyces griseus* Aminopeptidase and effects of calcium ions on catalysis and binding.  
Eur. J. Biochem. **258**, 313-319.
- Pasternack, R. (1998).  
Mikrobielle Transglutaminasen von *Streptoverticillium* spezie:  
Nachweis, Charakterisierung und Regulationsmechanismus der Enzyme.  
Dissertation TU Darmstadt.
- Pasternack, R., Dorsch, S., Otterbach, J., Robenek, I. R., Wolf, S., Fuchsbauer, H.-L. (1998).  
Bacterial pro-transglutaminase from *Streptoverticillium mobaraense*: Purification, characterization and sequence of the zymogen.  
Eur. J. Biochem. **257**, 570-576.
- Pasternack, R., Dorsch, S., Heinzel-Wieland, R., Weber, J., Dauscher, C., Mainusch, M., Fuchsbauer, H.-L. (2000).  
Primary structure of transglutaminase from *Streptoverticillium fervens* subsp. *melrosporus*.  
Unveröffentlicht.
- Pedersen, L.C., Yee, V.C., Bishop, P.D., Le Trong, I., Teller, D.C., Stenkamp, R.E. (1994).  
Transglutaminase factor XIII uses proteinase-like catalytic triad to crosslink macromolecules.  
Protein Sci. **3**, 1131-1135.

- Poduslo, J. F. (1981).  
Glycoprotein molecular-weight estimation using sodium dodecyl sulfate-pore gradient electrophoresis: comparison of tris-glycine and tris-borate-EDTA buffer systems.  
*Anal. Biochem.* **114**, 131-139.
- Pohlner, J., Halter, R., Beyreuther, K., Meyer, T.F. (1987).  
Gene structure and extracellular secretion of *Neisseria gonorrhoeae* IgA protease.  
*Nature.* **325**, 458-462.
- Rao, M.B., Tanksale, A.M., Ghatge, M.S., Deshpande, V.V. (1998).  
Molecular and biotechnological aspects of microbial proteases.  
*Microbiol. Mol. Biol. Rev.* **62**, 597-635.
- Raser, K.J., Posner, A. und Wang K.K.W. (1995).  
Casein zymography: a method to study mu-calpain, m-calpain, and their inhibitory agents.  
*Arch. Biochem. Biophys.* **319**, 211-216.
- Rawlings, N. D. und Barrett, J. (1993).  
Evolutionary families of peptidases.  
*Biochem. J.* **290**, 205-218.
- Rawlings, N. D. und Barrett, J. (1994a).  
Families of serine peptidases.  
*Meth. Enzym.* **244**, 19-61.
- Rawlings, N. D. und Barrett, J. (1994b).  
Families of cysteine peptidases.  
*Meth. Enzym.* **244**, 461-486.
- Rawlings, N. D. und Barrett, J. (1995a).  
Evolutionary families of metallopeptidases.  
*Meth. Enzym.* **248**, 183-228.
- Rawlings, N. D. und Barrett, J. (1995b).  
Families of aspartatic peptidases, and those of unknown catalytic mechanism.  
*Meth. Enzym.* **248**, 105-120.
- Rawlings, N.D., O'Brian, E.A., Barrett, A. J. (2002).  
MEROPS: the protease database.  
*Nucleic Acids Res.* **30**, 343-346.
- Redenbach, M., Kieser, H.M., Denapainte, D., Eichner, A., Cullum, J., Kinashi, H., Hopewood, D.A. (1996).  
A set of ordered cosmids and a detailed genetic and physical map for the 8 Mb *Streptomyces coelicolor* A3(2) chromosome.  
*Mol. Microbiol.* **21**, 77-96.
- Redingbaugh, M. G. and Turley, R.B. (1986).  
Adaption of the bicinchoninic acid protein assay for use with microwell plates and sucrose gradient fractions.  
*Anal. Biochem.* **153**, 267-271.
- Roche, L., Tort, J., Dalton, J.P. (1999).  
The propeptide of *Fasciola hepatica* cathepsin L is a potent and selective inhibitor of the mature enzyme.  
*Mol. Biochem. Parasit.* **98**, 271-277
- Rovere, C., Luis, J., Lissitzky, J.C., Basak, A., Marvaldi, J., Chretien, M., Seidah, N.G. (1999).  
The RGD motif and the C-terminal segment of proprotein convertase 1 are critical for its cellular trafficking but not for its intracellular binding to integrin alpha5beta1.  
*J. Biol. Chem.* **274**, 12461-12467.

- Rueda, B., Miguelez, E.M., Hardisson, C., Manzanal, M.B. (2001)  
Mycelial differentiation and spore formation by *Streptomyces brasiliensis* in submerged culture.  
Can. J. Microbiol. **47**, 1042-1047.
- Russin, D.J., Floyd, B.F., Toomey, T.P., Brady, A.H., Awad, W.M. Jr. (1974).  
The proteolytic enzymes of the K-1 strain of *Streptomyces griseus* obtained from a commercial preparation (pronase). Stabilization of the trypsin component by calcium and guanidine.  
J. Biol. Chem. **249**, 6144-6148.
- Sakai M, Odani S, Ikenaka T. (1980).  
Importance of the carboxyl-terminal four amino acid residues in the inhibitory activity of *Streptomyces subtilisin* inhibitor (with a revision of its carboxyl-terminal sequence).  
J. Biochem. **87**, 891-898.
- Sakamoto, H., Nonaka, M. und Motoki, M. (1994).  
Calcium-independent transglutaminase derived from a microorganism: its characteristics and capability in protein crosslinking and gel formation.  
In: Food Hydrocolloids: Structures, Properties, and Functions, Plenum Press, New York, 383-386.
- Sato, H., Hayashi, E., Yamada, N., Yatagai, M., Takahara, Y. (2001).  
Further studies on the site-specific protein modification by microbial transglutaminase.  
Bioconjug. Chem. **12**, 701-710.
- Satow, Y., Mitsui, Y., Iitaka, Y. (1978).  
Crystal structure of a protein proteinase inhibitor, SSI (*Streptomyces subtilisin* inhibitor), at 4 Å resolution.  
J. Biochem. **84**, 897-906.
- Schechter, I. und Berger, A. (1967).  
On the size of the active site in proteases.  
Biochem. Biophys. Res. Com. **27**, 157-162.
- Seber, J.F., Toomey, T.P., Powell, J.T., Brew, K., Awad, W.M. Jr. (1976).  
Proteolytic enzymes of the K-1 strain of *Streptomyces griseus* obtained from a commercial preparation (Pronase). Purification and characterization of the carboxypeptidase.  
J. Biol. Chem. **10**, 204-208.
- Seeram, S. S., Hiraga, K., Saji, A., Tashiro, M., Oda, K., (1997).  
Identification of reactive site of a proteinaceous metalloprotease inhibitor from *Streptomyces nigrescens* TK-23.  
J. Biochem. **121**, 1088-1095.
- Seidah, N.G., Day, R., Marcinkiewicz, M., Benjannet, S., Chretien, M. (1991).  
Mammalian neural and endocrine pro-protein and pro-hormone convertases belonging to the subtilisin family of serine proteinases.  
Enzyme **45**, 271-284.
- Serkina, A.V., Gorozhankina, T.F., Shevelev, A.B., Chestukhina, G.G. (1999).  
Propeptide of the metalloprotease of *Brevibacillus brevis* 7882 is a strong inhibitor of the mature enzyme.  
FEBS Letters **456**, 215-219
- Shapiro, S. (1989).  
Nitrogen assimilation in actinomycetes and the influence of nitrogen nutrition on actinomycete secondary metabolism.  
Regulation of Secondary Metabolism in Actinomycetes, 149-153.  
Herausgeber: S. Shapiro. Boca Raton, FL: CRC Press.
- Shirling, E. B. und Gottlieb, D. (1966).  
Methods for characterization of *Streptomyces* species.  
Int. J. Syst. Bacteriol. **16**, 313-340.

- Sidhu, S. S. and Borgford, T. J. (1996).  
Selection of *Streptomyces griseus* protease B mutants with desired alterations in primary specificity using a library screening strategy.  
*J. Mol. Biol.* **257**, 233-245.
- Sidhu, S. S., Kalmar, G. B., Willis, L. G. Borgford, T. J. (1995).  
Protease evolution in *Streptomyces griseus*.  
*J. Biol. Chem.* **270**, 7594-7600.
- Simonen, M. und Palva, I. (1993).  
Protein secretion in *Bacillus* species.  
*Microbiol. Rev.* **57**, 109-137.
- Singh, R. N., Chandrashekar, R., Mehta, K. (1995a).  
Purification and partial characterization of a transglutaminase from dog filarial parasite *Diriofilaria immitis*  
*Int. J. Biochem. Cell Biol.* **27**, 1285-1291.
- Singh, R. N., McQueen, T., Mehta, K. (1995b).  
Detection of the amine acceptor protein substrates of transglutaminase with 5-(biotinamido) pentylamine  
*Anal. Biochem.* **231**, 261-263.
- Smith, P. K., Krohn, R. I., Hermanson, G. T., Mallia, A. K., Gartner, F. H., Provenzano, M. D., Fujimoto, E. K., Goeke, N. M., Olson, B. J. und Klenk, D. C. (1985).  
Measurement of protein using bicinchoninic acid.  
*Anal. Biochem.* **150**, 76-85.
- Sorensen, k. und Brodbeck, U. (1986).  
A sensitive protein assay method using micro-titer plates.  
*Experientia* **42**, 161-162.
- Spungin, A. und Blumberg, S. (1989).  
*Streptomyces griseus* is a calcium-activated zinc metallo-protein: purification and properties of the enzyme.  
*Eur. J. Biochem.* **183**, 471-477.
- Stackebrandt, E. und Woese C.R. (1984).  
The phylogeny of prokaryotes.  
*Microbiol. Sci.* **1**, 117-122.
- Strickler, J. E., Berka, T. R., Gorniak, J., Fornwald, J., Keys, R., Rowland, J. J., Rosenberg, J. J., Taylor, D. P. (1992).  
Two novel *Streptomyces* protein protease inhibitors.  
*J. Biol. Chem.* **287**, 3236-3241.
- Suda, H., Aoyagi, T., Takeuchi, T., Umezawa, H. (1973).  
Letter: A thermolysin inhibitor produced by Actinomycetes: phospholamidon.  
*J. Antibiot. (Tokyo)* **26**, 621-623.
- Sutcliffe, I.C. und Russel, R.R. (1995).  
Lipoprotein of gram-positiv bacteria.  
*J. Bacteriol.* **177**, 1123-1128.
- Suzuki, M., Tagushi, S., Yamada, S., Kojima, S., Miura, K. I., Momose, H. (1997).  
A novel member of the subtilisin-like protease family from *Streptomyces albogriseolus*.  
*J. Bacteriol.* **179**, 430-438.
- Suzuki, S., Izawa, Y., Kobayashi, K., Eto, Y., Yamanaka, S., Kubota, K., Yokozeki, K. (2000).  
Purification and characterization of novel transglutaminase from *Bacillus subtilis* spores.  
*Biosci. Biotechnol. Biochem.* **64**, 2344-2351.

- Taguchi, S., Kikuchi, H., Susuki, M., Kojima, Terabe, M., Miura, K.-I., Nakase, T., Momose, H. (1993).  
Streptomyces subtilisin inhibitor-like proteins are distributed widely in *Streptomyces*.  
Appl. Env. Microbiol. **59**, 4338-4341.
- Taguchi, S., Susuki, M., Kojima, S., Miura, K.-I., Momose, H. (1995).  
*Streptomyces* serine protease (SAM-P20): Recombinant production, characterization, and interaction  
with endogenous protease inhibitor.  
J. Bacteriol. **177**, 6638-6643.
- Taguchi, S., Odaka, A., Watanabe, Y., Momose, H. (1995).  
Molecular characterization of a gene encoding extracellular serine protease isolated from a subtilisin  
inhibitor-deficient mutant of *Streptomyces albogriseolus* S-3253.  
Appl. Env. Microbiol. **61**, 180-186.
- Taguchi, S., Kojima, S., Terabe, M., Kumazawa, Y., Kohriyama, H., Suzuki, M., Miura, K., Momose, H. (1997).  
Molecular phylogenetic characterization of *Streptomyces* protease inhibitor family.  
J. Mol. Evol. **44**, 542-551.
- Taguchi, S., Yamada, S., Kojima, S., Momose, H. (1998).  
An endogenous target protease, SAM-P26, of *Streptomyces* protease inhibitor (SSI): primary structure,  
enzymatic characterization, and its interaction with SSI.  
J. Biochem. **124**, 804-810.
- Takehana, S., Washizu, K., Ando, K., Koikeda, S., Takeuchi, K., Matsui, H., Motoki, M., Takagi, H. (1994).  
Chemical synthesis of the gene for microbial transglutaminase from *Streptoverticillium* and its  
expression in *Escherichia coli*.  
Biosci. Biotechnol. Biochem. **58**, 88-92.
- Takekawa, S., Uozumi, N., Tsukagoshi, N., Udaka, S. (1991).  
Proteases involved in generation of beta- and alpha-amylases from a large amylase precursor in *Bacillus*  
*polymyxa*.  
J. Bacteriol. **173**, 6820-6825.
- Tanabe, M., Kawahara, K., Asano, T., Kato, K., Kakinuma, A. (1994).  
Primary structure and reactive site of *Streptoverticillium* anticoagulant (SAC), a novel protein inhibitor  
of blood coagulation produced by *Streptoverticillium cinnamoneum* subsp. *cinnamoneum*.  
J. Biochem. **115**, 752-761.
- Tate, S., Ohno, A., Seeram, S.S., Hiraga, K., Oda, K., Kainosho, M. (1998).  
Elucidation of the mode of interaction of thermolysin with a proteinaceous metalloproteinase inhibitor,  
SMPI, based on a model complex structure and a structural dynamics analysis.  
J. Mol. Biol. **282**, 435-446.
- Terabe, M., Kojima, S., Taguchi, S., Momose, H., Miura, K. (1994a).  
Three novel subtilisin-trypsin inhibitors from *Streptomyces*: primary structures and inhibitory  
properties.  
J. Biochem. **116**, 1156-1163
- Terabe, M., Kojima, S., Taguchi, S., Momose, H., Miura, K. (1994b).  
Primary structure and inhibitory properties of a subtilisin-chymotrypsin inhibitor from *Streptomyces*  
*virginiae*.  
Eur. J. Biochem. **226**, 627-632.
- Terabe, M., Kojima, S., Taguchi, S., Momose, H., Miura, K.-I. (1996).  
New subtilisin-trypsin inhibitors produced by *Streptomyces*: primary structures and their relationship to  
other proteinase inhibitors from *Streptomyces*.  
Bioch. Biophys. Acta **1292**, 233-240.
- Terada, I., Kwon, S.T., Miyata, Y., Matsuzawa, H., Ohta, T. (1990).  
Unique precursor structure of an extracellular protease, aqualysin I, with NH<sub>2</sub>- and COOH-terminal  
pro-sequences and its processing in *Escherichia coli*.  
J. Biol. Chem. **265**, 6576-6581.



- Tjalsma, H., Bolhuis, A., Jongbloed, J.D.H., Bron, S., van Dijl, J.M. (2000).  
Signal peptide-dependent protein transport in *Bacillus subtilis*: a genome-based survey of the secretome.  
*Microbiol. Mol. Biol. Rev.* **64**, 515-547.
- Tokunaga, F., Yamada, M., Miyata, T., Ding, Y.L., Hiranaga-Kawabata, M., Muta, T., Iwanaga, S., Ichinose, A.,  
Davie, E.W. (1993).  
*Limulus* hemocyte transglutaminase. Its purification and characterization, and identification of the  
intracellular substrates.  
*J. Biol. Chem.* **268**, 252-261.
- Ton-That, H., Liu, G., Mazmanian, S.K., Faull, K.F., Schneewind, O. (1999).  
Purification and characterization of sortase, the transpeptidase that cleaves surface proteins of  
*Staphylococcus aureus* at the LPXTG motif.  
*PNAS.* **26**, 12424-12429.
- Towbin, H., Staehelin, T. und Gordon, J. (1979).  
Electrophoretic transfer of proteins from polyacrylamide gels to nitrocellulose sheets: procedure and  
some applications.  
*Proc. Natl. Acad. Sci. USA* **76**, 4350-4354.
- Tsai, G.-J., Lin, S.-M., Jiang, S.-T. (1996).  
Transglutaminase from *Streptovorticillium ladakanum* and application to minced fish product.  
*J. Food Sci.* **61**, 1234-1238.
- Tsuyuki, H., Kajiwara, K., Fujita, A., Kumazaki, T., Ishii, S.-I. (1991).  
Purification and characterization of *Streptomyces griseus* metalloendopeptidase I and II.  
*J. Biochem.* **110**, 339-344.
- Umezawa, S., Tatsuta, K., Fujimoto, K., Tsuchiya, T., Umezawa, H. (1972).  
Structure of antipain, a new Sakaguchi-positive product of *Streptomyces*.  
*J. Antibiot (Tokyo)*. **25**, 267-70.
- Vernet, T., Berti, P.J., de Montigny, C., Musil, R., Tessier, D.C., Ménard, R., Magny, M.-C., Storer, A.C.,  
Thomas, D.Y. (1995).  
Processing of the papain precursor.  
*J. Biol. Chem.* **270**, 10838-10846.
- Voelskow, H. (1989).  
Methoden der zielorientierten Stammsisolierung,  
in: *Jahrbuch Biotechnologie*, Carl Hanser Verlag, München, 343-361.
- von Heijne, G. (1989).  
The structure of signal peptides from bacterial lipoproteins.  
*Protein Eng.* **2**, 531-534.
- Vosbeck, K.D., Chow, K.F., Awad, W.M. Jr. (1973).  
The proteolytic enzymes of the K-1 strain of *Streptomyces griseus* obtained from a commercial  
preparation (Pronase). Purification and characterization of the aminopeptidases.  
*J. Biol. Chem.* **248**, 6029-6034.
- Vosbeck, K.D., Greenberg, B.D., Awad W.M. Jr.(1975).  
The proteolytic enzymes of the K-1 strain of *Streptomyces griseus* obtained from a commercial  
preparation (Pronase). Specificity and immobilization of aminopeptidase.  
*J. Biol. Chem.* **250**, 3981-3987.
- Wandersman, C. (1989).  
Secretion, processing and activation of bacterial extracellular proteases.  
*Mol. Microbiol.* **3**, 1825-1831.

- Washizu, K., Ando, K., Koikeda, S., Hirose, S., Matsuura, A., Takagi, H., Motoki, M., Takeuchi, K. (1994).  
Molecular cloning of the gene for microbial transglutaminase from *Streptoverticillium* and its expression in *Streptomyces lividans*.  
Biosci. Biotech. Biochem. **58**, 82-87.
- Wetmore, D.R., Wong, S.L., Roche, R.S. (1994).  
The efficiency of processing and secretion of the thermolysin-like neutral protease from *Bacillus cereus* does not require the whole prosequence, but does depend on the nature of the amino acid sequence in the region of the cleavage site.  
Mol. Microbiol. **12**, 747-759.
- Whitby, P.W., Landon, M., Coleman, G. (1992).  
The cloning and nucleotide sequence of the serine protease gene (aspA) of *Aeromonas salmonicida* ssp. *salmonicida*.  
FEMS Microbiol. Lett. **78**, 65-71.
- Williams, S.T., Goodfellow, M., Alderson, G., Wellington, E.M., Sneath, P.H., Sackin, M.J. (1983).  
Numerical classification of *Streptomyces* and related genera.  
J. Gen. Microbiol. **129**, 1743-1813.
- Williams, S.T., Sharpe, M.E., Holt, J.G. (1989).  
In: Bergey's Manual of Systematic Bacteriology, Volume 4,  
Section **29**, 2451-2508.
- Winther, J.R. und Sorensen, P. (1991).  
Propeptide of carboxypeptidase Y provides a chaperone-like function as well as inhibition of the enzymic activity.  
Biochem. **88**, 9330-9334.
- Witt, D. und Stackebrandt, E. (1990).  
Unification of the genera *Streptoverticillium* and *Streptomyces*, and amendment of *Streptomyces* Waksman and Henrici 1943, 339<sup>AL</sup>.  
Syst. Appl. Microbiol. **13**, 361-371.
- Wong, W.S., Batt, C., Kinsella, J.E. (1990).  
Purification and characterization of rat liver transglutaminase.  
Int. J. Biochem. **22**, 53-59.
- Yasueda, H., Nakanishi, K., Kumazawa, Y., Nagase, K., Motoki, M., Matsui, H. (1995).  
Tissue-type transglutaminase from red sea bream (*Pagrus major*)  
Sequence analysis of the cDNA and functional expression in *Escherichia coli*.  
Eur. J. Biochem. **232**, 411-419.
- Zhu, Y., Rinzema, A., Tramper, J., Bol, J. (1995).  
Microbial transglutaminase - a review of its production and application in food processing.  
Appl. Microbiol. Biotechnol. **44**, 277-282.