

References

- [1] Ahuja, K.K., Whipkey, R.R., and Jones, G.S. (1983):
Control of Turbulent Boundary Layer Flows by Sound,
AIAA paper 83-0726
- [2] Apsley, D., Chen, W.L., Leschziner, M., and Lien, F.S. (1997):
Non-linear eddy-viscosity modelling of separated flows,
Journal of Hydraulic research, Vol.35, No.6, pp.723-748
- [3] Blevins, R.D. (1985):
The Effect of Sound on Vortex Shedding from Cylinders,
J. Fluid Mech., Vol. 161, pp.217-237
- [4] Bradshaw, P. (1994):
Turbulence: The Chief Outstanding Difficulty of Our Subject,
Experiments in Fluids, Vol.16, pp.203-216
- [5] Caretto, L.S., Gosman, A.D., Patankar, S.V., and Spalding, D.B. (1972):
Two calculation procedures for steady, three-dimensional flows with recirculation,
Proc. 3rd Int. Conf. Numer. Methods Fluid Dyn., Paris
- [6] Chien, K.Y. (1982):
Predictions of Channel and Boundary-Layer Flows with a Low-Reynolds-Number
Turbulence Model,
AIAA Journal, Vol.20, No. 1, pp.33-38
- [7] Chou, P.Y. (1945):
On the velocity Correlations and the Solution of the Equations of Turbulent Fluctuation,
Quart. Appl. Math., Vol.3, p.38
- [8] Darwish, M.S. and Moukalled, F.H. (1994):
Normalized Variable and Space Formulation Methodology for High-Resolution
Schemes,
Numerical Heat Transfer, vol.26, pp.79-96
- [9] Date, J.C. and Turnock, S.R. (2002):
Computational Evaluation of the Periodic Performance of a NACA0012 Fitted with a
Gurney Flap,
Journal of Fluids Engineering, Vol.124, pp.227-234
- [10] Fan, S., Lakshminarayana, B., and Barnett, M. (1993):
A Low-Reynolds-Number k- ϵ Model for Unsteady Turbulent boundary Layer Flows,
AIAA Journal, Vol.31, No.10, pp.1777-1784
- [11] Favre, A. (1938):
Contribution à l'étude expérimentale des mouvement hydrodynamiques à deux
dimensions,
Thèse Université de Paris, 1-192

- [12] Fernholz, H.H. (1993):
Management and Control of Turbulent Shear Flows,
Z. angew. Math. Mech. Vol.73, No.11, pp.287-300
- [13] Ferziger, J.H. and Perić, M. (1996):
Computational Methods for Fluid Dynamics,
Springer Verlag
- [14] Gaskell, P.H. and Lau, A.K.C. (1988):
Curvature-Compensated Convective Transport: SMART, a New
Boundedness-Preserving Transport Algorithm,
International Journal for Numerical Methods in Fluids, vol.8, pp.617-641
- [15] Hsiao, F.B., Liu, C.F., and Shyu, J.Y. (1990):
Control of Wall-Separated Flow by Internal Acoustic Excitation,
AIAA Journal, Vol.28, No.8, pp.1440-1446
- [16] Jin, G. and Braza, M. (1994):
Two-equation Turbulence Model for Unsteady Separated Flows Around Airfoils,
AIAA Journal, Vol. 32, No. 11, pp.2316-2320
- [17] Jones, W.P. and Launder, B.E. (1972):
The prediction of Laminarization with a Two-Equation Model of Turbulence,
International Journal of Heat and Mass Transfer, Vol. 15, pp.301-314
- [18] Kato, M. and Launder, B.E. (1993):
The modelling of turbulent flow around stationary and vibrating square cylinders,
9th Symposium on "Turbulent Shear Flows", Kyoto, Japan
- [19] Lam, C.K.G. and Bremhorst, K.A. (1981):
Modified Form of k- ϵ Model for Predicting Wall Turbulence,
ASME, Journal of Fluids Engineering, Vol.103, pp.456-460
- [20] Launder, B.E., Reece, G.J., and Rodi, W. (1975):
Progress in the Development of a Reynolds-Stress Turbulence Closure,
Journal of Fluid Mechanics, Vol.68, pp.537-566
- [21] Launder, B.E. and Sharma, B.I. (1974):
Application of the Energy Dissipation Model of Turbulence to the Calculation of Flow
Near a Spinning Disc,
Letters in Heat and Mass Transfer, Vol.1, No.2, pp.131-138
- [22] Launder, B.E. and Spalding, D.B. (1974):
The Numerical Computation of Turbulent Flows,
Computer Methods in Applied Mechanics and Engineering, Vol.3, pp.269-289
- [23] Leonard, B.P. (1979):
A Stable and Accurate Convection Modelling Procedure Based on Quadratic Upstream
Interpolation,
Comp. Methods Appl. Mech. Engr., Vol.19, pp.59-98
- [24] Leschziner, M.A. (2001):
At the Crossroads of Turbulence Modelling and Simulation: Opportunities and

- Challenges,
8th IAHR Int. Symp. on Flow Modeling and Turbulence Measurements, Tokyo
- [25] Lin, J. C., Robinson, S. K. and McGhee, R. J. (1994):
Separation Control on High-Lift Airfoils via Micro-Vortex Generators,
J. Aircraft, vol.31, No.6, pp.1317-1323.
- [26] Liu, C.F. (1988):
Control of Airfoil Performance by Local Excitation,
Dissertation, National Cheng Kung University, Taiwan
- [27] Lumley, J.L. (1978):
Computational Modeling of Turbulent Flows,
Adv. Appl. Mech., Vol.18, pp.123-176
- [28] McMichael, J.M. (1996):
Progress and Prospects for Active Flow Control using Microfabricated
Electro-Mechanical Systems,
AIAA paper 96-0306
- [29] Meier, G.E.A. and Schnerr, G.H. (ed.) (1996):
Control of Flow Instabilities and Unsteady Flows,
International Centre for Mechanical Sciences, courses and Lectures, Springer Verlag
- [30] Pearcey, H. H. (1961):
Shock-induced separation and its prevention by design and boundary layer control,
In Boundary layer and Flow Control, its Principle and Applications,
Vol.2, pp. 1166-1344. Pergamon Press, Oxford, England.
- [31] Peterka, J.A. and Richardson, P.D. (1969):
Effects of Sound on Separated Flows,
J. Fluid Mech., Vol.37, pp.265-287
- [32] Prandtl, L. (1945):
Über ein neues Formelsystem für die ausgebildete Turbulenz,
Nacr. Akad. Wiss. Göttingen, Math-Phys. Kl., pp.6-19
- [33] Qin, Y.H., Hsing, T.D, and Zhuang, F.G. (1994):
An experimental study on the Mechanism of Interaction between Spanwise Blowing
and Leading-edge Vortex,
Proc. of the 19th Congress of the ICAS, 1994, Vol.3, 2027-2035
- [34] Reynolds, O. (1895):
On the Dynamical Theory of Incompressible Viscous Fluids and the Determination of
the Criterion,
Philosophical Transactions of the Royal Society of London, Vol.186, Part I, pp.123-164.
- [35] Shaw, C.T. (1992):
Using Computational Fluid Dynamics,
Prentice Hall, N.Y.
- [36] Schäfer, M. (1999):
Numerik im Maschinenbau,

- Springer Verlag
- [37] Schlichting, H. (1965):
Grenzschicht-Theorie,
Fünfte erweiterte und neubearbeitete Auflage, Verlag G.Braun, Karlsruhe, Germany
- [38] Seifert, A., Bachar, T., Wygnanski, I., Koss, D., and Shepshelovich, M. (1993):
Oscillatory blowing, a tool to delay boundary layer separation,
31st AIAA Aerospace Sciences Meeting & Exhibit, USA, AIAA paper 93-0440
- [39] Seifert, A., Darabi, A. and Wygnanski, I. (1996):
Delay of airfoil stall by periodic excitation,
Journal of Aircraft, Vol.33, No.4, pp.691-698
- [40] Shyu, R.N. (1991):
Improvement of Airfoil Stalling Performance by Internal Periodic Excitation at
Leading Edge,
Dissertation, National Cheng Kung University, Taiwan
- [41] Skoda, R. and Schilling, R. (2000)
Numerical and Experimental Investigations on a Centrifugal Pump Stage with and
without a Vaned Diffuser: Numerical Part”,
20th IAHR Symposium on Hydraulic Machinery and Systems, North Carolina, USA,
CFD-G02
- [42] Speziale, C.G., Abid, R., and Anderson, E.C. (1990):
A Critical Evaluation of Two-Equation Models for Near Wall Turbulence,
AIAA Paper 90-1481, Seattle, WA.
- [43] Speziale, C.G., Sarkar, S., and Gatski, T.B. (1991):
Modeling the Pressure-Strain Correlation of Turbulence,
Journal of Fluid Mechanics, Vol. 227, pp.245-272
- [44] Stone, H.L. (1968):
Iterative Solution of Implicit Approximation of Multidimensional Partial Differential
Equations,
S.I.A.M. J. Numer. Anal, pp.530-558
- [45] Thiede, P. (ed.) (2001):
Aerodynamic Drag Reduction Technologies,
Proc. of the CEAS/DragNet European Drag Reduction Conference, Potsdam, Germany
- [46] Taylor, G.I. (1935):
Statistical Theory of Turbulence,
Proc. R. Soc., Lond., Vol. A151, p.421
- [47] Van Doormal, J.P. and Raithby, G.D. (1984):
Enhancements of the SIMPLE method for predicting incompressible fluid flows,
Numer. Heat Transfer, Vol.7, pp.147-163
- [48] Walsh, M.J. (1980):
Drag characteristics of V-groove and transverse curvature riblets,
in Viscous Drag Reduction, Washington, DC: AIAA. pp.168-184

-
- [49] Wang, Z. and Stoffel, B. (2002):
A modified turbulence model on predicting separated airfoil flow,
40th AIAA Aerospace Sciences Meeting & Exhibit, USA, AIAA paper 2002-0853
- [50] Wang, Z. and Stoffel, B. (2003):
Behavior of Synthetic Jet on Stalled Airfoil Flow,
41st AIAA Aerospace Sciences Meeting & Exhibit, USA, AIAA paper 2003-0222
- [51] Warsop, C. (2000):
Current status and prospects for turbulent flow control,
Proc. of the CEAS/DragNet European Drag Reduction Conference, Potsdam, Germany
- [52] Wilcox, D.C. (1998):
Turbulence Modeling for CFD,
second edition, DCW Industries, Inc., California
- [53] Wu, J.Z., Lu, X.Y., Denny, A.G., Fan, M., and Wu, J.M. (1998):
Post-stall flow control on an airfoil by local unsteady forcing,
J. Fluid Mech. Vol.371, pp.21-58
- [54] Zaman, K.B.M.Q., Bar-Sever, A., and Mangalam, S.M. (1987):
Effect of Acoustic Excitation on the Flow over a Low-Re Airfoil,
J. Fluid Mech., Vol.182, pp.127-148.

Lebenslauf

- 1973.06.17 Geboren, Guizhou, VR China
- 1979-1990 Grundschule und Gymnasium, Guizhou, VR China
- 1990-1994 "Bachelor"-Studium
Fachgebiet: Aerodynamik
Fachbereich: Flugzeugentwurf und angewandte Mechanik
Universität Peking für Luft- und Raumfahrttechnik, Peking, VR China
- 1994.07 Bachelor Degree
- 1994-1998 "Postgraduate"-Studium
Fachgebiet: Aerodynamik
Fachbereich: Flugzeugentwurf und angewandte Mechanik
Universität Peking für Luft- und Raumfahrttechnik, Peking, VR China
- 1998-1999 Forscherin
Institut für Strömungsmechanik
Deutsche Forschungsanstalt für Luft- und Raumfahrt e.V. (DLR)
Göttingen, Deutschland
- 2000-2003 Doktorandin
Fachgebiet: Turbomaschinen und Fluidantriebstechnik
Fachbereich: Maschinenbau
Technische Universität Darmstadt, Darmstadt, Deutschland

Zhuo Wang

Dipl.-Ing. Zhuo Wang, Darmstadt, 18.03.2003