

8. Literaturverzeichnis

- ADAMS, W.M.; GOUDIE, A.; ORME, A.R. (1996): *The Physical Geography of Africa*. Oxford (Oxford University Press).
- AHNERT, F. (1970): *Functional relationships between denudation, relief and uplift in large mid-latitude drainage basins*. In: American Journal of Science 268, 243-263.
- AHNERT, F. (1996): *Einführung in die Geomorphologie*. Stuttgart (Eugen Ulmer).
- ALLEN, P.A. (1997): *Earth Surface Processes*. Cambridge (Blackwell Science).
- ALLEN, R.G.; PEREIRA, L.S.; RAES, D.; SMITH, M. (1998): *Crop evapotranspiration - Guidelines for computing crop water requirements*. (= FAO irrigation and drainage paper. 56). Rome.
- AMBERS, R.K.R. (2001): *Using the sediment record in a western Oregon flood-control reservoir to assess the Influence of storm history and logging on sediment yield*. In: Journal of Hydrology 244, 181-200.
- ANDERSON, J.R.; HARDY, E.E.; ROACH, J.T.; WITMER, R.E. (1976): *A land use and land cover classification system for use with remote sensor data*. Washington, D.C.
- ARNOLD, J.G.; WILLIAMS, J.R.; GRIGGS, R.H.; SAMMONS, N.B. (1990): *SWRRB - A Basin Scale Simulation Model for Soil and Water Resources Management*. College Station (TX, USA) (Texas A & M University Press).
- ARNOLDUS, H.M.J. (1977): *Methodology used to determine the maximum potential average annual soil loss due to sheet and rill erosion in Morocco*. In: FAO (Food and Agriculture Organization, ed.): *Assessing soil degradation*. Rome. (= FAO Soils Bulletin. 34), 39-42.
- ASCE (AMERICAN SOCIETY OF CIVIL ENGINEERS, ed.) (1999): *GIS Modules and Distributed Models of the Watershed*. Reston, (VA, USA) (ASCE American Society of Civil Engineers).
- ASHMORE, P. (1993): *Contemporary erosion of the Canadian landscape*. In: Progress in Physical Geography 17, 190-204.
- ATKINSON, E. (1996): *The feasibility of flushing sediment from reservoirs. TDR Project R5839*. Wallingford (GB).
- AUERSWALD, K. (1987): *Sensivität erosionsbestimmender Faktoren*. In: Wasser und Boden 39, 34-38.
- AUERSWALD, K. (1991): *Onsite- und Offsite-Schäden durch Bodenerosion*. In: Schwertmann, U.; Auerswald, K. (Hrsg.): *Bodennutzung und Bodenfruchtbarkeit 3. Bodenerosion*. Hamburg. (= Berichte über Landwirtschaft. 205), 75-82.
- AUERSWALD, K. (1993): *Bodeneigenschaften und Bodenerosion. Wirkungswege bei unterschiedlichen Betrachtungsmaßstäben*. Stuttgart. (= Relief Boden Paläoklima. 8)
- AUERSWALD, K. (1996): *Feststofftransport in Fließgewässern*. In: Blume, H. P.; Felix-Henningsen, P.; Fischer, W. R. u.a. (Hrsg.): *Handbuch der Bodenkunde*. Landsberg/Lech (ecomed), Kap.6.3.4.
- BACKHAUS, K.; ERICHSON, B.; PLINKE, W.; WEIBER, R. (2000): *Multivariate Analysemethoden. Eine anwendungsorientierte Einführung. 9. Auflage*. Berlin (Springer).
- BAHRENBERG, G.; GIESE, E.; NIPPER, J. (1990): *Statistische Methoden in der Geographie. Teil 1*. Stuttgart.
- BAHRENBERG, G.; GIESE, E.; NIPPER, J. (1992): *Statistische Methoden in der Geographie. Band 2: Multivariate Statistik*. Stuttgart.
- BAILEY, R.G. (1989): *Explanatory supplement to ecoregions map of the continents*. In: Environmental Conservation 16(4), 307-309.
- BAILEY, R.G.; HOGG, H.C. (1986): *A world ecoregions map for resource reporting*. In: Environmental Conservation 13(3), 195-202.
- BARTH, B. (1997): *Bodenerosionssimulation mit GIS. Untersuchungen auf repräsentativen saarländischen Ackerstandorten*. Saarbrücken, Dissertation.

- BATCHELOR, C.H. (1984): *The accuracy of evapotranspiration functions estimated with the FAO modified Penman equation*. In: Irrigation Science 5(4), 223-234.
- BEASLEY, D.B.; HUGGINS, L.F. (1991): *ANSWERS User's Manual. Publication No. 5*. Tifton (USA) (Agricultural Engineering Department, University of Georgia).
- BEASLEY, D.B.; HUGGINS, L.F.; MONKE, E.J. (1990): *ANSWERS - a model for watershed planning*. In: Transactions of the ASAE 23(4), 938-944.
- BEMPORAD, G.A.; ALTERACH, J.; AMIGHETTI, F.F.; PEVIANI, M.; SACCARDO, I. (1997): *A distributed approach for sediment yield evaluation in alpine regions*. In: Journal of Hydrology 197, 370-392.
- BENECKE, T.; SCHWIPPERT, W. (2001): *WinSTAT für Excel. Benutzerhandbuch*. [online] – URL: www.winstat.com [Zugriff 23.08.05].
- BERKAMP, G.; MCCARTNEY, M.P.; DUGAN, P.; MCNEELY, J.; ACREMAN, M. (eds.) (2000): *Dams, ecosystem functions and environmental restoration..* (= World Commission on Dams. Thematic Review II.1). [online] – URL: <http://www.dams.org/kbase/thematic/tr21.htm> [Zugriff 23.08.05].
- BERNARD, J.M.; STEFFEN, L.J. (1998): *New reservoir sediment survey data base*. In: Tepel, R.E. (ed.): Association of Engineering Geologists, 37th annual meeting, program and abstracts; Engineering geology; past, present and future. Washington, DC (USA) (U.S. Department of Agriculture, Soil Conservation Service). (= Annual Meeting - Association of Engineering Geologists. 41).
- BEVEN, K. (1996): *Equifinality and uncertainty in geomorphological modeling*. In: Rhoads, B.L.; Thorn, C.E. (eds.): The scientific nature of geomorphology. Proceedings of the 27th Binghampton Symposium in Geomorphology held 27-29 September 1996. Chichester (GB) (John Wiley & Sons). 289-313.
- BILL, R. (1996): *Grundlagen der Geo-Informationssysteme. Band 2: Analysen, Anwendungen und neue Entwicklungen*. Heidelberg (Wichmann).
- BILL, R.; FRITSCH, D. (1991): *Grundlagen der Geo-Informationssysteme. Band 1: Hardware, Software, Daten*. Karlsruhe (Wichmann).
- BJERKLIE, D.M.; DINGMAN, S.L.; VÖRÖSMARTY, C.J. (2003): *Evaluating the potential for measuring river discharge from space*. In: Journal of Hydrology 278, 17-38.
- BLAIKIE, P.; BROOKFIELD, H. (1987): *Land degradation and society*. London (Methuen).
- BOBROVITSKAYA, N.N. (2002): *Erosions and sediment yield modelling in the former USSR*. In: Summer, W.; Walling, D.E. (Ed.) (eds.): Modelling erosion, sediment transport and sediment yield. Paris (UNESCO). (= IHP-VI Technical Documents in Hydrology. 60), 31-45.
- BOBROVITSKAYA, N.N.; KOKOREV, A.V.; LEMESHKO, N.A. (2003): *Regional patterns in recent sediment yields of Eurasian and Siberian rivers*. In: Global and Planetary Change 39(1-2), 127-146.
- BOBROVITSKAYA, N.N.; ZUBKOVA, K.M. (1997): *Improved methodology for the computation of normal annual yield of suspended sediments from rivers*. In: UNESCO IHP (eds.): Study of erosion, river bed deformation and sediment transport in river basins as related to natural and man-made changes. Paris (UNESCO). (= IHP-VI Technical Documents in Hydrology. 10), 92-103.
- BOBROVITSKAYA, N.N.; ZUBKOVA, C.; MEADE, R.H. (1996): *Discharges and yields of suspended sediment in the Ob' and Yenisey rivers of Siberia*. In: Walling, D.E.; Webb, B.W. (eds.): Erosion and sediment yield: Global and regional perspectives (Proceedings of the Exeter Symposium, July 1996). Wallingford (GB) (IAHS Press). (= IAHS Publication. 236), 115-123.
- BOGEN, J. (1995): *Sediment transport and deposition in mountain rivers*. In: Foster, I.D.L.; Gurnell, A.M.; Webb, B.W. (eds.): Sediment and water quality in river catchments. Chichester (GB) (John Wiley & Sons), 437-451.
- BOGENA, H. (2001): *Analyzing and modelling solute and sediment transport at different spatial and temporal scales. A case study of the catchment of the Wahnbach river, Germany*. Bonn, Dissertation.
- BONHAM-CARTER, G.F. (1994): *Geographic information systems for geoscientists. Modelling with GIS*. Kidlington (GB).
- BOOTH, B.; MITCHELL, A. (2001): *Getting started with ArcGIS*. Redlands (USA).

- BORK, H.R.; HENSEL, H. (1988): *Computer-aided construction of soil erosion and deposition maps*. In: Geologisches Jahrbuch, Reihe A 104, 357-371.
- BORK, H.R.; SCHRÖDER, A. (1996): *Quantifizierung des Bodenabtrags anhand von Modellen*. In: Blume, H. P.; Felix-Henningsen, P.; Fischer, W. R. u.a. (Hrsg.): *Handbuch der Bodenkunde*. Landsberg/Lech (ecomod). Kap.6.3.5.
- BOYCE, R.C. (1975): *Sediment routing with sediment delivery ratios*. In: USDA-ARS (ed.): *Present and prospective technology for predicting sediment yields and sources*. Washington, DC (USA) (US Department of Agriculture). (= USDA Agricultural Research Service. ARS-S-40), 34-48.
- BRANDT, S.A. (2000): *Classification of geomorphological effects downstream of dams*. In: *Catena* 40(4), 375-401.
- BRAZIER, R.E.; ROWAN, J.S.; ANTHONY, S.G.; QUINN, P.F. (2001): *"MIRSED" towards an MIR approach to modelling hillslope soil erosion at the national scale*. In: *Catena* 42(1), 59-79.
- BROOKS, K.N.; FFOLIOTT, P.F.; GREGERSEN, H.M.; DEBANO, L.F. (1997): *Hydrology and the Management of Watersheds. Second edition*. Ames (IA, USA) (Iowa State University Press).
- BROWN, C.B. (1950): *Sediment Transportation*. In: Rouse, H. (ed.): *Engineering Hydraulics*. New York (USA) (John Wiley & Sons), 769-857.
- BROWNE, T.J. (1995): *The role of Geographical Information Systems in hydrology*. In: Foster, I.D.L.; Gurnell, A.M.; Webb, B.W. (eds.): *Sediment and water quality in river catchments*. Chichester (GB) (John Wiley & Sons), 33-48.
- BRUNE, G.M. (1953): *Trap efficiency of reservoirs*. In: *Transactions American Geophysical Union* 34(3), 407-418.
- BÜHL, A.; ZÖFEL, P. (2000): *SPSS Version 10. Einführung in die moderne Datenanalyse unter Windows*. München (Addison-Wesley).
- BURBANK, D.W.; ANDERSON, R.S. (2001): *Tectonic Geomorphology*. Malden (USA) (Blackwell Science).
- BURROUGH, P.A.; MCDONNELL, R.A. (1998): *Principles of Geographical Information Systems*. New York (Oxford University Press).
- CAMPBELL, I.A. (1992): *Spatial and temporal variations in erosion and sediment yield*. In: Bogen, J.; Walling, D.E.; Day, T.J. (eds.): *Erosion and sediment transport monitoring programs in river basins (Proceedings of the Oslo Symposium, August 1992)*. Wallingford (GB) (IAHS Press). (= IAHS Publication. 210), 455-465.
- CARRARA, A.; BITELLI, G.; CARLA, R. (1997): *Comparison of techniques for generating digital terrain models from contour lines*. In: *International Journal of Geographical Information Science* 11(5), 451-473.
- CARTER, A.J.; SCHOLE, R.J. (2000): *SoilData v2.0: Generating a global database of soil properties*. Pretoria (RSA).
- CEC (Commission of the European Communities, ed.) (1992): *CORINE soil erosion risk and important land resources in the southern regions of the European Community. An assessment to evaluate and map the distribution of land quality and soil erosion risk*. Luxembourg.
- CHURCH, M.; SLAYMAKER, O. (1989): *Disequilibrium of Holocene sediment yield in glaciated British Columbia*. In: *Nature* 337, 452-454.
- CLAPP, E.M.; BIERMAN, P.R.; SCHICK, A.P. (2000): *Sediment yield exceeds sediment production in arid region drainage basins*. In: *Geology* 28(11), 995-998.
- CLARK, E.H. (1985): *The off-site costs of soil erosion*. In: *Journal of Soil and Water Conservation* 40(1), 19-22.
- COHN, T.A. (1995): *Recent advances in statistical methods for the estimation of sediment and nutrient transport in rivers*. In: *Reviews of Geophysics*, vol. 33 SUPPLEMENT, 1117-1130.
- COLLINS, D.N. (1996): *Sediment transport from glacierized basins in the Karakoram mountains*. In: Walling, D.E.; Webb, B.W. (eds.): *Erosion and sediment yield: Global and regional perspectives (Proceedings of the Exeter Symposium, July 1996)*. Wallingford (GB) (IAHS Press). (= IAHS Publication. 236), 85-96.

- CHORLEY, R.J.; SCHUMM, S.A.; SUGDEN, D.E. (1984): *Geomorphology*. London (Methuen).
- COSTA-CABRAL, M.C.; BURGESS, S.J. (1994): *Digital elevation model networks (DEMON): A model of flow over hillslopes for computation of contributing and dispersal areas*. In: *Water Resources Research* 30(6), 1681-1692.
- CRAWFORD, C.G. (1991): *Estimation of suspended-sediment rating curves and mean suspended-sediment loads*. In: *Journal of Hydrology* 129, 331-348.
- CROWDER, B.M. (1987): *The economic cost of reservoir sedimentation: a regional approach to estimating cropland erosion damages*. In: *Journal of Soil and Water Conservation* 42, 194-197.
- DALY, C. (2000): *Development of PRISM spatial climate layers for the United States*. [online] – URL: www.climate-source.com [Zugriff 23.08.05].
- DALY, C.; NELSON, R.P.; PHILLIPS, D.L. (1994): *A statistical-topographic model for mapping climatological precipitation over mountainous terrain*. In: *Journal of Applied Meteorology* 33, 140-158.
- DE ROO, A.P.J. (1999): *Modelling runoff and sediment transport in catchments using GIS*. In: Gurnell, A.M.; Montgomery, D.R. (eds.): *Hydrological applications of GIS*. Chichester (GB) (John Wiley & Sons). (= *Advances in Hydrological Processes*), 85-102.
- DEARING, J.A.; FOSTER, I.D.L. (1993): *Lake sediments and geomorphological processes: some thoughts*. In: McManus, J.; Duck, R.W. (eds.): *Geomorphology and Sedimentology of Lakes and Reservoirs*. New York (John Wiley & Sons), 5-14.
- DEARING, J.A.; JONES, R.T. (2003): *Coupling temporal and spatial dimensions of global sediment flux through lake and marine sediment records*. In: *Global and Planetary Change* 39(1-2), 147-168.
- DEDKOV, A.P.; MOZZHERIN, V.I. (1984): *Erosion and sediment yield on the earth*. Kazan (UDSSR) (Kazan University Press, in Russian).
- DEDKOV, A.P.; MOZZHERIN, V.I. (1996): *Erosion and sediment yield on the earth*. In: Walling, D.E.; Webb, B.W. (eds.): *Erosion and sediment yield: Global and regional perspectives (Proceedings of the Exeter Symposium, July 1996)*. Wallingford (GB) (IAHS Press). (= IAHS Publication. 236), 29-33.
- DEDKOV, A.P.; MOZZHERIN, V.I. (1997): *Erosion and sediment yield on plains in the temperate zone*. In: UNESCO IHP (ed.): *Study of erosion, river bed deformation and sediment transport in river basins as related to natural and man-made changes*. Paris (UNESCO). (= IHP-VI Technical Documents in Hydrology. 10), 84-91.
- DENDY, F.E. (1974): *Sediment trap efficiency of small reservoirs*. In: *Transactions of the ASAE* 17(5), 898-901.
- DENDY, F.E.; CHAMPION, W.A. (1978): *Sediment deposition in U.S. reservoirs. Summary of Data Reported Through 1975*. Washington, D.C.
- DESMET, P.J.J.; GOVERS, G. (1995): *GIS-based simulation of erosion and deposition patterns in an agricultural landscape. A comparison of model results with soil map information*. In: *Catena* 25(1-4), 389-401.
- VAN DIJK, M.J.; BOEKELMAN, R.H.; RIENTJES, T.H.M. (1999): *Modelling of hydrological processes*. In: Bähr, H.-P.; Vögtle, T. (eds.): *GIS for Environmental Monitoring*. Stuttgart (E. Schweizerbartsche Verlagsbuchhandlung), 283-292.
- DOBSON, J.E.; BRIGHT, E.A.; COLEMAN, P.R.; DURFEE, R.C.; WORLEY, B.A. (2000): *A global population database for estimating population at risk*. In: *Photogrammetric Engineering & Remote Sensing* 66(7), 849-858.
- DOUGLAS, I. (1967): *Man, vegetation and the sediment yield of rivers*. In: *Nature* 215, 925-928.
- DYCK, S. (Hrsg.) (1980): *Angewandte Hydrologie. Teil 2: Der Wasserhaushalt der Flußgebiete. 2. überarbeitete Auflage*. Berlin (Wilhelm Ernst & Sohn).
- DYCK, S.; PESCHKE, G. (1989): *Grundlagen der Hydrologie. 2. Auflage*. Berlin.
- DYKSTRA, J. (2001): *The GeoCover ortho program*. In: *GeoInformatics* 4, 26-29.
- EDWARDS, T.K.; GLYSSON, G.D. (1998): *Field methods for measurement of fluvial sediment*. Reston (VA, USA).
- EHRENBERG, A.S.C. (1986): *Statistik oder der Umgang mit Daten. Eine praktische Einführung mit Übungen*. Weinheim (VCH Verlagsgesellschaft).

- EINSELE, G. (2000): *Sedimentary basins. Evolution, facies, and sediment budget. 2.edition.* Berlin (Springer).
- EINSELE, G.; HINDERER, M. (1997): *Terrestrial sediment yield and the lifetimes of reservoirs, lakes and larger basins.* In: Geologische Rundschau 86, 288-310.
- EINSELE, G.; HINDERER, M. (1998): *Quantifying denudation and sediment-accumulation systems (open and closed lakes): Basic concepts and first results.* In: Palaeogeography, Palaeoclimatology, Palaeoecology 140, 7-21.
- ELECTROBRÁS (ed.) (1992): *Diagnóstico das condições sedimentológicas dos principais rios brasileiros.* Agosto (Brazil).
- ENDRENY, T.A.; WOOD, E.F.; LETTENMAIER, D.P. (2000): *Satellite-derived digital elevation model accuracy. Hydrogeomorphological analysis requirements.* In: Hydrological Processes 14(2), 177-194.
- ENVIRONMENT CANADA (ed.) (2001): *Hydat CD-ROM user's manual.*
[online] – URL: http://www.msc-smc.ec.gc.ca/climate/hydat/downloads/HydatManual_PDF.pdf [Zugriff 23.08.05].
- ERHARD, U.; FISCHBACH, R.; WEILER, H.; KEHRLE, K. (1989): *Praktisches Lehrbuch Statistik. Anwendungsorientierte Einführung in die Betriebsstatistik. 3.Auflage.* Landsberg am Lech (Verlag Moderne Industrie).
- ESRI (ENVIRONMENTAL SYSTEMS RESEARCH INSTITUTE, ed.) (1992): *Cell-based modelling with GRID 6.0. Analysis, Display and Management.* Redlands (USA).
- ESRI (ed.) (1996a): *ArcView Spatial Analyst. Advanced spatial analysis using raster and vector data.* Redlands (USA).
- ESRI (ed.) (1996b): *Avenue. Customization and application development for ArcView.* Redlands (USA).
- ESRI (ed.) (1996c): *ArcAtlas: Our earth.* Redlands (USA).
- ESRI (ed.) (1996d): *ArcView GIS. The Geographic Information System for Everyone.* Redlands (USA).
- ESRI (ed.) (1998): *ArcView Dialog Designer.* Redlands (USA).
- MCCOY, J.; JOHNSTON, K. (2001): *Using ArcGIS Spatial Analyst.* Redlands (USA).
- FAO (FOOD AND AGRICULTURE ORGANIZATION, ed.) (1995): *The digital soil map of the world, version 3.5.* Rome.
- FARNSWORTH, K.L.; MILLIMAN, J.D. (2003): *Effects of climatic and anthropogenic change on small mountaineous rivers: The Salinas River example.* In: Global and Planetary Change 39(1-2), 53-64.
- FEKETE, B.M.; VÖRÖSMARTY, C.J.; W. GRABS, W. (1999): *Global Composite Runoff Fields on Observed River Discharge and Simulated Water Balances.* Koblenz.
- FEKETE, B.M.; VÖRÖSMARTY, C.J.; LAMMERS, R.B. (2001): *Scaling gridded river networks for macroscale hydrology: Development, analysis and control of error.* In: Water Resources Research 37(7), 1955-1967.
- FERREIRA, V.A.; WEESIES, G.A.; YODER, D.C.; FOSTER, G.R.; RENARD, K.G. (1995): *The site and condition specific nature of sensivity analysis.* In: Journal of Soil and Water Conservation 50(5), 493-497.
- FERRO, V. (1997): *Further remarks on a distributed approach to sediment delivery.* In: Hydrological Sciences Journal 42(5), 633-647.
- FINLAYSON, D.P.; MONTGOMERY, D.R. (2003): *Modeling large-scale fluvial erosion in Geographic Information Systems.* In: Geomorphology 53, 147-164.
- FLANAGAN, D.C.; NEARING, M.A. (eds.) (1995): *USDA - Water Erosion Prediction Project. Hillslope profile and watershed model documentation.* West Lafayette (USA) (USDA-ARS National Soil Erosion Research Laboratory). (= NSERL Report No.10).
- FLAXMAN, E.M. (1966): *Some variables which influence rates of reservoir sedimentation in western United States.* In: IAHS (International Association of Hydrological Sciences, ed.): Hydrology of lakes and reservoirs. Symposium of Garda (Oct. 9-15, 1966). Wallingford (GB) (IAHS Press). (= IAHS Publication. 71), 824-838.
- FOSTER, I.D.L.; GURNELL, A.M.; WEBB, B.W. (eds.) (1995): *Sediment and water quality in river catchments.* Chichester (GB) (John Wiley & Sons).

- FOSTER, G.R.; LANE, L.J.; NOWLIN, J.D.; LAFLEN, J.M.; YOUNG, R.A. (1980): *A model to estimate sediment yield from field-sized areas: Development of model*. In: Knisel, W.G. (ed.): CREAMS: A field scale model for chemicals, runoff and erosion from agricultural management systems. Tucson (AZ, USA). (= Conservation Research Report. 26), 36-64.
- FOSTER, G.R.; WISCHMEIER, W.H. (1974): *Evaluating irregular slopes for soil loss prediction*. In: Transactions of the ASAE 17, 305-309.
- FOURNIER, F. (1960): *Climat et erosion: la relation entre l'erosion du sol par l'eau et des precipitations atmospheriques*. Paris.
- FRASER, A.S.; MEYBECK, M.; ONGLEY, E.D.; HODGSON, K. (2002): *The annotated digital atlas of global water quality*. (= UNEP GEMS/Water Programm).
[online] – URL: <http://www.cciw.ca/gems/atlas-gwq/forward-e.html> [Zugriff 23.08.05].
- FRENETTE, M.; JULIEN, P.Y. (1987): *Computer modeling of soil erosion and sediment yield from large watersheds*. In: International Journal of Sediment Research 1, 39-68.
- FROELICH, W.; WALLING, D.E. (1992): *The use of fallout radionuclides in investigation of erosion and sediment delivery in the polish Flysh Carpathians*. In: Walling, D.E.; Davies, T.R.; Hasholt, B. (eds.): Erosion, debris flows and environment in mountain regions. Wallingford (GB) (IAHS Press). (= IAHS Publication. 209), 61-76.
- GALLANT, J.C.; WILSON, J.P. (2000): *Primary topographic attributes*. In: Wilson, J.P.; Gallant, J.C. (eds.): Terrain analysis. Principles and applications. New York (John Wiley & Sons), 51-85.
- GIBSON, W.P.; DALY, C.; KITTEL, T.; NYCHKA, D.; JOHNS, C.; ROSENBLOOM, N.; MCNAB, A.; TAYLOR, G.: *Development of a 103-year high-resolution climate data set for the conterminous United States*. In: Proceedings of the 13th AMS Conference on Applied Climatology, American Meteorological Society, Portland, OR, May 13-16, 181-183.
- GILLULY, J. (1955): *Geologic contrasts between continents and ocean basins*. In: GSA Special Paper 62, 561-590.
- GOUDIE, A. (1994): *Mensch und Umwelt. Eine Einführung*. Heidelberg, Berlin, Oxford (Spektrum Akademischer Verlag). (= Spektrum Lehrbuch.).
- GOUDIE, A. (1995): *The changing earth. Rates of geomorphological processes*. Oxford (Blackwell).
- GRAF, W.L. (1996): *Geomorphology and policy for restauration of impounded american rivers: What is 'natural' ?* In: Rhoads, B.L.; Thorn, C.E. (eds.): The scientific nature of geomorphology. Proceedings of the 27th Binghamton Symposium in Geomorphology held 27-29 September 1996. Chichester (GB) (John Wiley & Sons), 443-473.
- GRAF, W.L. (1999): *Dam nation: A geographic census of american dams and their large-scale hydrologic impacts* In: Water Resources Research 35(4), 1305-1311.
- GRIFFITHS, G.A. (1979): *High sediment yields from major rivers of the western Southern Alps, New Zealand*. In: Nature 287, 88-95.
- GROTHENN, D. (1964): *Untersuchungen zur Wattvermessung*. Hannover, Dissertation.
- GRUNWALD, S.; NORTON, L.D. (1999): *An AGNPS-based runoff and sediment yield model for two small watersheds in Germany*. In: Transactions of the ASAE 42(6), 1723-1731.
- GURNELL, A.M. (1995): *Sediment yield from alpine glacier basins*. In: Foster, I.D.L.; Gurnell, A.M.; Webb, B.W. (eds.): Sediment and water quality in river catchments. Chichester (GB) (John Wiley & Sons), 407-435.
- GURNELL, A.; HANNAH, D.; LAWLER, D. (1996): *Suspended sediment yield from glacier basins*. In: Walling, D.E.; Webb, B.W. (eds.): Erosion and sediment yield: Global and regional perspectives (Proceedings of the Exeter Symposium, July 1996). Wallingford (GB) (IAHS Press). (= IAHS Publication. 236), 97-104.
- GURNELL, A.M.; MONTGOMERY, D.R. (eds.) (1999): *Hydrological applications of GIS*. Chichester (GB) (John Wiley & Sons). (= Advances in Hydrological Processes).
- HADLEY, R.F.; WALLING, D.E. (eds.) (1984): *Erosion and sediment yield: Some methods of measurement and modelling*. Cambridge (Cambridge University Press).
- HARRISON, C.G.A. (2000): *What factors control mechanical erosion rates ?* In: International Journal of Earth Sciences 88, 752-763.

- HASSENPFUG, W. (1992): *Winderosion*. In: Blume, H.P. (Hrsg.): Handbuch des Bodenschutzes. Bödenökologie und -belastung, vorbeugende und abwehrende Schutzmaßnahmen. 2. Auflage. Landsberg/Lech (ecomede), 183-197.
- HAY, W.W. (1998): *Detrital sediment fluxes from continents to oceans*. In: Chemical Geology 145, 287-323.
- HAY, W.W.; ROSOL, M.J.; JORY, D.E.; SLOAN, J.L. (1987) *Tectonic control of global patterns of detrital and carbonate sedimentation*. In: Doyle, L.J.; Roberts, H.H. (eds.): Carbonate Clastic Transitions: Developments in Sedimentology, Vol. 42. Amsterdam (Elsevier), 1-34.
- HEINEMANN, H.G. (1984): *Reservoir trap efficiency*. In: Hadley, R.F.; Walling, D.E. (eds.): Erosion and sediment yield: Some methods of measurement and modelling. Cambridge (Cambridge University Press), 201-217.
- HENSEL, H. (1991): *Verfahren zur EDV-gestützten Auswertung der Bodenerosionsgefährdung von Hängen und Einzugsgebieten*. Berlin (Technische Universität Berlin). (= Bodenökologie und Bodengenese. 2)
- HEYNE, K.-H. (1982): *Über die Genauigkeit von Echolot-Messungen*. In: Vermessungstechnik 30(3), 94-98.
- HINDERER, M. (1999): *Klimagesteuerte Denudations-Sedimentakkumulations-Systeme: Massenbilanzen, Modellierung und Anwendung*. Tübingen, Habilitationsschrift 1999.
- HINDERER, M.; EINSELE, G. (2001): *The world's large basins as denudation-accumulation systems and implications for their lifetimes*. In: Journal of Paleolimnology 26, 355-372.
- HINDERER, M.; SCHÄUBLE, H.; SÜSS, M.P. (2001): *Denudation processes at various scales - Towards a new GIS-based global model*. In: Gaupp, R.; Voigt, T.; Eynatten, H. (eds.): Sediment 2001. Stuttgart (E. Schweizerbart'sche Verlagsbuchhandlung). (= Zentralblatt für Geologie und Paläontologie, Teil I, Jahrgang 2001, Heft 3/4), 377-397.
- HODGSON, K.; FRASER, A.S. (1999): *The global environment monitoring system water web site*. In: Water International 24(2), 164-167.
- HOLEMAN, J.N. (1968): *Sediment yield of major rivers of the world*. In: Water Resources Research 4, 737-747.
- HOLMES, K.W.; CHADWICK, O.A.; KYRIAKIDIS, P.C. (2000): *Error in a USGS 30-meter digital elevation model and its impact on terrain modeling*. In: Journal of Hydrology 233, 154-173.
- HOOKE, R.L.B. (2000): *Toward a uniform theory of clastic sediment yield in fluvial systems*. In: GSA Bulletin 112(12), 1778-1786.
- HOVIUS, N. (1998): *Controls on sediment supply by large rivers*. In: Shanley, K.W.; McCabe, P.J. (eds.): Relative role of eustasy, climate and tectonism in continental rocks. Tulsa (OK, USA). (= SEPM (Society for Sedimentary Geology) Special Publication. 59), 3-16.
- HOWARD, A.D. (1994): *A detachment-limited model of drainage basin evolution*. In: Water Resources Research 30(7), 2261-2285.
- HUDSON, N.W. (1993): *Field measurement of soil erosion and runoff*. (= FAO Soils Bulletin. 68). [online] – URL: <http://www.fao.org/docrep/T0848E/t0848e00.htm> [Zugriff 23.08.05].
- HUTCHINSON, M.F.; GALLANT, J.C. (2000): *Digital elevation models and representation of terrain shape*. In: Wilson, J.P.; Gallant, J.C. (eds.): Terrain analysis. Principles and applications. New York (John Wiley & Sons), 29-50.
- ICHIM, I.; RADOANE, P.N. (1987): *A multivariate statistical analysis of sediment yield and prediction in Romania*. In: Catena SUPPLEMENT 10, 137-146.
- INBAR, M. (1992): *Rates of fluvial erosion in basins with a Mediterranean climate type*. In: Catena 19(3-4), 393-409.
- IWMI (ed.) (2000): *World water and climate atlas*. [online] – URL: <http://www.cgiar.org/iwmi/WAtlas/atlas.htm> [Zugriff 23.08.05].
- JAMSA, K. (1998): *1001 Visual-Basic-5-Programmiertips*. Bonn (Addison Wesley Longman).
- JANSEN, J.M.L.; PAINTER, R.B. (1974): *Predicting sediment yield from climate and topography*. In: Journal of Hydrology 21, 371-380.

- JANSSON, M.B. (1988): *A global survey of sediment yield*. In: Geografiska Annaler 70A(1-2), 81-98.
- JAOSHVILI, S. (2002): *The rivers of the Black Sea*. Copenhagen (Denmark) (European Environment Agency). (= Technical Report of the EEA. 71).
- JETTEN, V.; DE ROO, A.P.J.; FAVIS-MORTLOCK, D. (1999): *Evaluation of field-scale and catchment-scale soil erosion models*. In: Catena 37(3-4), 521-541.
- JINZE, M. (1991): *The impact of environmental change and conservation measures on erosion and sediment loads in the Yellow River basin*. In: Peters, N.E.; Walling, D.E. (eds.): *Sediment and stream water quality in a changing environment: Trends and explanation*. Wallingford (GB) (IAHS Press). (= IAHS Publication. 203), 47-52.
- JUDSON, S.; RITTER, D.F. (1964): *Rates of regional denudation in the United States*. In: Journal of Geophysical Research 69, 3395-401.
- JULIEN, P.Y. (1995): *Erosion and sedimentation*. New York (Cambridge University Press).
- KEMPE, S. (1990): *Reservoir case study: Lake Nasser*. In: Meybeck, M.; Chapman, D.V.; Helmer, R. (eds.): *Global freshwater quality. A first assesment*. Cambridge (USA) (Blackwell), 241-252.
- KEMPE, S. (1993): *Damming the Nile*. In: SCOPE/UNEP (eds.): *Transport of carbon and nutrients in lakes and estuaries, part 6*. SCOPE/UNEP Sonderband. Hamburg. (= Mitteilungen des Geologisch-Paläontologischen Instituts der Universität Hamburg. 74), 81-114.
- KENNEDY, M. (2000): *Understanding map projections*. Redlands (USA).
- KENT, K.M. (1973): *A method for estimating volume and rate of runoff in small watersheds*.
[online] – URL: http://www.wcc.nrcs.usda.gov/water/quality/hydro/Information___References/Technical_Reports/technical_reports.html [Zugriff 23.08.05].
- KERN, U.; WESTRICH, B. (1997): *Sediment budget analysis for river reservoirs*. In: Water, Air and Soil Pollution 99, 105-112.
- KESEL, R.H. (2003): *Human modifications to the sediment regime of the lower Mississippi River flood plain*. In: Geomorphology 56, 325-334.
- KINEMAN, J.J.; PHILLIPS, D.L.; OHRENSCHALL, M.A. (1996): *Global ecosystems database project: An experiment in data integration for global change*. In: Goodchild, M.F.; Steyaert, L.T.; Parks, B.O. (eds.): *GIS and environmental modeling: Progress and research issues*. Fort Collins (USA) (GIS World Books), 79-84.
- KING, P.B.; BEIKMAN, H.M. (1974): *Explanatory text to accompany the geologic map of the United States*. Washington (USA).
- KIRKBY, M.J. (1996): *A role for theoretical models in geomorphology ?* In: Rhoads, B.L.; Thorn, C.E. (eds.): *The scientific nature of geomorphology*. Proceedings of the 27th Binghampton Symposium in Geomorphology held 27-29 September 1996. Chichester (GB) (John Wiley & Sons), 257-272.
- KIRKBY, M.J.; MORGAN, R.P.C. (eds.) (1980): *Soil erosion*. Norwich (England). (= British geomorphological research group).
- KNAUR (Hrsg.) (1999): *Knaurs grosser Weltatlas*. Augsburg (Droemer Knaur). (= Lizenzausgabe des "Times Atlas of the World").
- KNISEL, W.G. (ed.) (1980): *CREAMS: A field scale model for chemicals, runoff and erosion from agricultural management systems*. Tucson (AZ USA). (= Conservation Research Report. 26).
- KOTHYARI, U.C. (1996): *Erosion and sedimentation problems in India*. In: Walling, D.E.; Webb, B.W. (eds.): *Erosion and sediment yield: Global and regional perspectives* (Proceedings of the Exeter Symposium, July 1996). Wallingford (GB) (IAHS Press). (= IAHS Publication. 236), 531-540.
- KOTHYARI, U.C.; JAIN, S.K. (1997): *Sediment yield estimation using GIS*. In: Hydrological Sciences Journal 42(6), 833-843.
- KRETZSCHMAR, R. (1992): *Wassererosion*. In: Blume, H.P. (Hrsg.): *Handbuch des Bodenschutzes. Bödenökologie und -belastung, vorbeugende und abwehrende Schutzmaßnahmen*. 2. Auflage. Landsberg/Lech (ecomede), 165-183.

- KRONER, S.M.; COZZIE, D.A. (1999): *Data collection for the hazardous waste identification rule. Section 7.0. Soil data*. Washington, D.C. (U.S. Environmental Protection Agency - Office of Solid Waste).
- KRYSANOVA, V.; WECHSUNG, F. (2000): *SWIM (Soil and water integrated model). User manual*. [online] – URL: http://www.pik-potsdam.de/~valen/swim_manual/ [Zugriff 23.08.05].
- KRYSANOVA, V.; WILLIAMS, J.; BÜRGER, G.; ÖSTERLE, H. (2002): *The linkage between hydrological processes and sediment transport at the river basin scale - a modelling study*. In: Summer, W.; Walling, D.E. (eds.): *Modelling erosion, sediment transport and sediment yield*. Paris (UNESCO). (= IHP-VI Technical Documents in Hydrology. 60), 147-174.
- KUENEN, P.H. (1950): *Marine geology*. New York (John Wiley & Sons).
- KUHNLE, R.A.; BINGER, R.L.; FOSTER, G.R.; GRISSINGER, E.H. (1996): *Effects of land use changes on sediment transport in Goodwin Creek*. In: *Water Resources Research* 32(10), 3189-3196.
- LANDMANN, G.; HUTFILS, V.; HAGEMANN, F.; ITTEKKOT, V. (1998): *Distribution and behaviour of suspended matter and sediments in the Mekong River and the adjacent sea*. In: EC-INCO-DC (ed.): *Proceedings of the international workshop on the Mekong Delta*. Chiang Rai (Thailand) (Chulalongkorn University, Bangkok), 100-115.
- LANGBEIN, W.B.; SCHUMM, S.A. (1958): *Yield of sediment in relation to mean annual precipitation*. In: *Transactions American Geophysical Union* 39, 1076-1084.
- LASANTA, T.; GARCIA-RUIZ, J.M.; PEREZ-RONTOME, C.; SANCHO-MARCEN, C. (2000): *Runoff and sediment yield in a semi-arid environment: The effect of land management after farmland abandonment*. In: *Catena* 38(4), 265-278.
- LEEDEN, F. van der; TROISE, F.L.; TODD, D.K. (1990): *The water encyclopedia. 2nd edition*. Chelsea (MI, USA) (Lewis Publishers).
- LEEDER, M.R. (1997): *Sedimentary basins: Tectonic recorders of sediment discharge from drainage catchments*. In: *Earth Surface Processes and Landforms* 22(3), 229-237.
- LEGATES, D.R.; WILLMOT, C.J. (1990): *Mean seasonal and spatial variability in gauge-corrected global precipitation*. In: *International Journal of Climatology* 10, 111-127.
- LENHARD, T.; VAN ROMPAEY, A.; STEEGEN, A.; FOHRER, N.; FREDE, H.-G.; GOVERS, G. (2005): *Considering spatial distribution and deposition of sediment in limped and semi-distributed models*. In: *Hydrological Processes* 19, 785-794.
- LEWKOWICZ, A.G.; KOKELJ, S.V. (2002): *Slope sediment yield in arid lowland continuous environments, Canadian Arctic archipelago*. In: *Catena* 46(4), 261-283.
- LIDEN, R. (1999): *A new approach for estimating suspended sediment yield*. In: *Hydrology and Earth System Sciences* 3(2), 285-294.
- LOUGHRAN, R.J.; CAMPBELL, B.L. (1995): *The identification of catchment sediment sources*. In: Foster, I.D.L.; Gurnell, A.M.; Webb, B.W. (eds.): *Sediment and water quality in river catchments*. Chichester (GB) (John Wiley & Sons), 189-205.
- LOOSER, R. (2003): *Statistische Messdatenauswertung*. Poing (Franzis Verlag GmbH).
- LOZAR, R. (1996): *Global data and tutorial to model climatic change and environmental sensitivity*. In: Goodchild, M.F.; Steyaert, L.T.; Parks, B.O. (eds.): *GIS and environmental modeling: Progress and research issues*. Fort Collins (USA) (GIS World Books), 73-77.
- LUDWIG, W.; PROBST, J.-L. (1996): *A global modelling of the climatic, morphological and lithological control of river sediment discharges to the oceans*. In: Walling, D.E.; Webb, B.W. (eds.): *Erosion and sediment yield: Global and regional perspectives (Proceedings of the Exeter Symposium, July 1996)*. Wallingford (GB) (IAHS Press). (= IAHS Publication. 236), 21-28.
- LUDWIG, W.; PROBST, J.-L. (1998): *River sediment discharge to the oceans: Present-day controls and global budgets*. In: *American Journal of Science* 298, 265-295.
- LUDWIG, W.; PROBST, J.-L.; KEMPE, S. (1996): *Predicting the oceanic input of organic carbon by continental erosion*. In: *Global Biogeochemical Cycles* 10(1), 23-41.
- DI LUZIO, M.; ARNOLD, J.G.; SRINIVASAN, R. (2005): *Effect of GIS data quality on small watershed stream flow and sediment simulations*. In: *Hydrological Processes* 19, 629-650.

- LVOVICH, M.I. (1974): *World water resources and their future*. Moscow (in Russian).
- LYTLE, D.J.; BLISS, N.B.; WALTMAN, S.W. (1996): *Interpreting the state soil geographic database (STATSGO)*. In: Goodchild, M.F.; Steyaert, L.T.; Parks, B.O. (eds.): *GIS and environmental modeling: Progress and research issues*. Fort Collins (USA) (GIS World Books), 49-52.
- MACKENZIE, F.T.; GARRELS, R.M. (1966): *Chemical mass balance between rivers and oceans*. In: *American Journal of Science* 264, 507-525.
- MAHMOOD, K. (1987): *Reservoir sedimentation. Impact, extent and mitigation*. Washington, D.C.
- MANIAK, U. (1993): *Hydrologie und Wasserwirtschaft. Eine Einführung für Ingenieure. 3. Auflage*. Berlin (Springer).
- MÄRKER, M. (2001): *Regionale Erosionsmodellierung unter Verwendung des Konzepts der Erosion Response Units (ERU) am Beispiel zweier Flußeinzugsgebiete im südlichen Afrika*. Jena, Dissertation.
- MARKS, R.; MÜLLER, M.J.; LESER, H.; KLINK, H.-J. (1992): *Anleitung zur Bewertung des Landschaftshaushaltes (BALVL). 2. Auflage*. Trier. (= Forschungen zur deutschen Landeskunde. 229).
- MASHRIQUI, H.S.; CRUISE, J.F. (1997): *Sediment yield modeling by grouped response units*. In: *Journal of Water Resources Planning and Management*, 95-104.
- MCCARTNEY, M.P.; SULLIVAN, C.; ACREMAN, M.C. (2000): *Ecosystem impacts of large dams*. In: Berkamp, G.; McCartney, M.P.; Dugan, P.; McNeely, J.; Acreman, M. (eds.): *Dams, ecosystem functions and environmental restoration*. (= World Commission on Dams. Thematic Review II.1), 1-75. [online] – URL: <http://www.dams.org/kbase/thematic/tr21.htm> [Zugriff 23.08.05].
- MCLAUGHLIN, C.J.; SMITH, C.A.; BUDDEMEIER, R.W.; BARTLEY, J.D.; MAXWELL, B.A. (2003): *Rivers, runoff and reefs*. In: *Global and Planetary Change* 39(1-2), 191-199.
- MCLENNAN, S.M. (1993): *Weathering and global denudation*. In: *The Journal of Geology* 101, 295-303.
- MEADE, R.H. (1995): *Setting: Geology, hydrology, sediments, and engineering of the Mississippi River*. In: Meade, R.H. (ed.): *Contaminants in the Mississippi River, 1987-1992*. Reston (VA, USA) (U.S. Geological Survey). (= Circular. 1133), 13-29.
- MEADE, R.H.; PARKER, R.S. (1985): *Sediment in rivers in the United States*. In: *United States Geological Survey Water Supply Paper* 2275, 49-60.
- MEADE, R.H.; TRIMBLE, S.W. (1974): *Changes in sediment loads in rivers of the Atlantic drainage of the United States since 1900*. In: IAHS (International Association of Hydrological Sciences, ed.): *Effects of Man on the Interface of the Hydrological Cycle with the Physical Environment*. Proceedings of a symposium held at Paris, September 1974. Proceedings of a symposium held at Paris, September 1974. Wallingford (GB) (IAHS Press). (= IAHS Publication. 113), 99-104.
- MEYBECK, M. (1987): *Global chemical weathering of surficial rocks estimated from river dissolved loads*. In: *American Journal of Science* 287, 401-428.
- MEYBECK, M.; LAROCHE, L.; DÜRR, H.H.; SYVITSKI, J.P. (2003): *Global variability of daily total suspended solids and their fluxes in rivers*. In: *Global and Planetary Change* 39(1-2), 65-93.
- MILLIMAN, J.D. (1990): *Fluvial sediment in coastal seas: flux and fate*. In: *Nature and Resources* 26, 12-22.
- MILLIMAN, J.D.; MEADE, R.H. (1983): *World-wide delivery of river sediment to the oceans*. In: *Journal of Geology* 91(1), 1-21.
- MILLIMAN, J.D.; RUTKOWSKI, C.; MEYBECK, M. (1995): *River discharge to the sea. A global river index (GLORI)*. Den Burg (Netherlands).
- MILLIMAN, J.D.; SYVITSKI, J.P. (1992): *Geomorphic/tectonic control of sediment discharge to the ocean: The importance of small mountainous rivers*. In: *The Journal of Geology* 100, 525-544.
- MILLWARD, A.A.; MERSEY, J.E. (1999): *Adapting the RUSLE to model soil erosion potential in a mountainous tropical watershed*. In: *Catena* 38(2), 109-129.
- MITCHELL, A. (1999): *The ESRI guide to GIS analysis. Volume 1: Geographic patterns & relationships*. Redlands (USA).
- MITCHELL, J.K.; BUBENZER, G.D. (1980): *Soil loss estimation*. In: Kirkby, M.J.; Morgan, R.P.C. (eds.): *Soil erosion*. Norwich (GB). (= British geomorphological research group), 17-62.

- MIXON, D.M. (2002): *Automatic watershed location and characterization with GIS for an analysis of reservoir sedimentation patterns*. Master Thesis, University of Colorado (USA).
http://instaar.colorado.edu/~mixon/thesis/Full_text_no_appendices.pdf.
- MOEHANSYAH, H.; MAHESHWARI, B.L.; ARMSTRONG, J. (2002): *Impact of land-use changes and sedimentation on the Muhammad Nur reservoir, South Kalimantan, Indonesia*. In: *Journal of Soils and Sediments* 2(1), 9-18.
- MOLNAR, D.K.; JULIEN, P.Y. (1998): *Estimation of upland erosion using GIS*. In: *Computer & Geosciences* 24(2), 183-192.
- MONTGOMERY, D.R.; BRANDON, M.T. (2002): *Topographic controls on erosion rates in tectonically active mountain ranges*. In: *Earth and Planetary Science Letters* 201(3-4), 481-489.
- MOODY, J.; MEADE, R.H.; JONES, D. (2003): *Lewis and Clark's observations and measurements of geomorphology and hydrology and changes with time* (US Geological Survey) (= Circular. 1246).
[online] – URL: <http://www.usgs.gov/features/lewisandclark/products.html> [Zugriff 23.08.05].
- MOORE, I.D. (1996): *Hydrologic modeling and GIS*. In: Goodchild, M.F.; Steyaert, L.T.; Parks, B.O. (eds.): *GIS and environmental modeling: Progress and research issues*. Fort Collins (USA) (GIS World Books), 143-148.
- MOORE, I.D.; BURCH, G.J. (1986a): *Physical basis of the length-slope factor in the Universal Soil Loss Equation*. In: *Soil Science Society of America Journal* 50, 1294-1298.
- MOORE, I.D.; BURCH, G.J. (1986b): *Modeling erosion and deposition: topographic effects*. In: *Transactions of the ASAE* 29, 1624-1630.
- MOORE, I.D.; TURNER, A.K.; WILSON, J.P.; JENSON, S.; BAND, L. (1993): *GIS and land-surface-subsurface process modelling*. In: Goodchild, M.F.; Parks, B.O.; Steyaert, L.T. (eds.): *Environmental Modeling with GIS*. New York (Oxford University Press), 196-230.
- MOREHEAD, M.D.; SYVITSKI, J.P.; HUTTON, W.H.; PECKHAM, S.D. (2003): *Modeling the temporal variability in the flux of sediment from ungauged river basins*. In: *Global and Planetary Change* 39(1-2), 95-110.
- MORGAN, R.C.P. (1999): *Bodenerosion und Bodenerhaltung*. Stuttgart (ENKE).
- MORGAN, R.C.P.; QUINTON, J.N.; SMITH, R.E.; GOVERS, G.; POESEN, J.W.A.; AUERSWALD, K.; CHISCI, G.; TORRI, D.; STYCZEN, M.E. (1998): *The european soil erosion model (EUROSEM). Documentation and user guide. Version 3.6*. Bedford (GB) (Silsoe College, Cranfield University).
- MORRIS, L.G.; FAN, J. (1997): *Reservoir sedimentation handbook. Design and management of dams, reservoirs and watersheds for sustainable use*. New York (McGraw-Hill).
- MULDER, T.; SYVITSKI, J.P. (1996): *Climatic and morphologic relationships of rivers: Implications of sea-level fluctuations on river loads*. In: *The Journal of Geology* 104, 509-523.
- NASH, D.B. (1994): *Effective sediment-transporting discharge from magnitude-frequency analysis*. In: *The Journal of Geology* 102, 79-95.
- NASH, J.E.; SUTCLIFFE, J.V. (1970): *River flow forecasting through conceptual model. Part I: A discussion of principles*. In: *Journal of Hydrology* 10, 282-290.
- NEARING, M.A. (1998): *Why soil erosion models over-predict small soil losses and under-predict large soil losses*. In: *Catena* 32(1), 15-22.
- NEARING, M.A.; DEER-ASCOUGH, L.; LAFLÉN, J.M. (1990): *Sensitivity analysis of the WEPP hillslope profile erosion model*. In: *Transactions of the ASAE* 33(3), 839-849.
- NEARING, M.A.; LANE, L.J.; LOPES, V.L. (1994): *Modeling soil erosion*. In: Lal, T. (ed.): *Soil erosion research methods*. 2.Auflage. Del Ray Beach (USA), 127-156.
- NEDC (National Employee Development Center, eds.) (1989): *Runoff Computations*.
[online] – URL: http://www.wcc.nrcs.usda.gov/water/quality/hydro/Training/Online_Course_Materials/ [Zugriff 23.08.05].
- NEDC (eds.) (1989): *Runoff Concepts 1*.
[online] – URL: http://www.wcc.nrcs.usda.gov/water/quality/hydro/Training/Online_Course_Materials/ [Zugriff 23.08.05].

- NEDC (eds.) (1989): *Runoff curve number computations*.
[online] – URL: http://www.wcc.nrcs.usda.gov/water/quality/hydro/Training/Online_Course_Materials/ [Zugriff 23.08.05].
- NEDC (eds.) (1999): *Runoff concepts 2*.
[online] – URL: http://www.wcc.nrcs.usda.gov/water/quality/hydro/Training/Online_Course_Materials/ [Zugriff 23.08.05].
- NEDC (eds.) (1999): *Runoff curve numbers 2*.
[online] – URL: http://www.wcc.nrcs.usda.gov/water/quality/hydro/Training/Online_Course_Materials/ [Zugriff 23.08.05].
- NEDC (eds.) (1999): *SCS runoff equation*.
[online] – URL: http://www.wcc.nrcs.usda.gov/water/quality/hydro/Training/Online_Course_Materials/ [Zugriff 23.08.05].
- NEITSCH, S.L.; ARNOLD, J.G.; KINIRY, J.R.; WILLIAMS, J.R. (2002): *Soil and water assessment tool. Theoretical documentation. Version 2000*. (USDA Agricultural Research Service).
[online] – URL: <ftp://ftp.brc.tamus.edu/pub/swat/doc/swat2000theory.pdf> [Zugriff 23.08.05].
- NEW, M.; HULME, M.; JONES, P. (1999): *Representing twentieth-century space-time climate variability. Part 1: Development of a 1961-90 mean monthly terrestrial climatology*. In: *Journal of Climate* 12, 829-856.
- NEWSON, M. (1994): *Hydrology and the river environment*. Oxford (GB) (Oxford University Press).
- NOAA-NGDC (eds.) (2000.): *Global Ecosystems Database Project 2000. Global Ecosystems Database Version II (CD-ROM)*. Boulder (CO, USA) (NOAA [National Oceanic and Atmospheric Administration]; NGDC [National Geophysical Data Center]).
- NOLAN, J.V.; BRAKEBILL, J.W.; ALEXANDER, R.B.; SCHWARZ, G.E. (2002): *Enhanced River Reach File 2.0*.
[online] – URL: <http://water.usgs.gov/lookup/getspatial?erf1-2> [Zugriff 23.08.05].
- O'CALLAGHAN, J.F.; MARK, D.M. (1984): *The extraction of drainage networks from digital elevation data*. In: *Computer Vision, Graphics and Image Processing* 28, 323-344.
- OHMORI, H. (1983): *Erosion rates and their relation to vegetation from the viewpoint of world-wide distribution*. In: Department of Geography (eds.): *Bulletin of the Department of Geography, University of Tokyo* 15. Tokyo, 77-91.
- OLIVE, L.J.; RIEGER, W.A. (1992): *Stream suspended sediment transport monitoring - why, how and what is being measured?* In: Bogen, J.; Walling, D.E.; Day, T.J. (eds.): *Erosion and sediment transport monitoring programs in river basins* (Proceedings of the Oslo Symposium, August 1992). Wallingford (GB) (IAHS Press). (= IAHS Publication. 210), 245-254.
- ONSTAD, C.A. (1984): *Sediment yield modelling*. In: Hadley, R.F.; Walling, D.E. (eds.): *Erosion and sediment yield: Some methods of measurement and modelling*. Cambridge (Cambridge University Press), 71-89.
- QUYANG, D.; BARTHOLIC, J. (1997): *Predicting sediment delivery ratio in Saginaw Bay watershed*. In: NAEP (eds.): *The 22nd National Association of Environmental Professionals Conference Proceedings*. May 19-23. Orlando (USA) (National Association of Environmental Professionals 659-671).
[online] – URL: <http://www.naep.org> [Zugriff 23.08.05].
- OWENS, P.; SLAYMAKER, O. (1992): *Late Holocene sediment yields in small alpine and subalpine drainage basins, British Columbia*. In: Walling, D.E.; Davies, T.R.; Hasholt, B. (eds.): *Erosion, debris flows and environment in mountain regions*. Wallingford (GB) (IAHS Press). (= IAHS Publication. 209), 147-154.
- PARKER, R.S.; SUEKER, J.K.; BOULGER, R.W. (1997): *Suspended-sediment data in environmental studies*. (= Proceedings of the U.S. Geological Survey (USGS) Sediment Workshop, February 4-7, 1997).
[online] – URL: <http://water.usgs.gov/osw/techniques/workshop/USGScont.html> [Zugriff 23.08.05]
- PAZZAGLIA, F.J.; BRANDON, M.T. (1996): *Macrogeomorphic evolution of the post-Triassic Appalachian mountains determined by deconvolution of the offshore basin sedimentary record*. In: *Basin Research* 8, 255-278.
- PECKHAM, S.D. (2003): *Fluvial landscape models and catchment-scale sediment transport*. In: *Global and Planetary Change* 39(1-2), 31-51.
- PELLETIER, J.D. (2003): *Drainage basin evolution in the rainfall erosion facility: Dependence on initial conditions*. In: *Geomorphology* 53, 183-196.

- PHILLIPS, J.D. (1990): *Relative importance of factors influencing fluvial soil loss at the global scale*. In: American Journal of Science 290, 547-568.
- PIKE, R.J. (2002): *A Bibliography of terrain modelling (Geomorphometry), the quantitative representation of topography. Supplement 4.0*. Menlo Park (CA, USA) (U.S. Geological Survey). (= USGS Open-File Report. 02-465).
- PILOTTI, M.; BACCHI, B. (1997): *Distributed evaluation of the contribution of soil erosion to the sediment yield from a watershed*. In: Earth Surface Processes and Landforms 22(13), 1239-1251.
- PINET, P.; SOURIAU, M. (1988): *Continental erosion and large-scale relief*. In: Tectonics 7(3), 563-582.
- PRESS, F.; SIEVER, R. (1995): *Allgemeine Geologie*. Heidelberg (Spektrum Akademischer Verlag).
- QUINN, P.F.; BEVEN, P.; CHEVALLIER, P.; PLANCHON, O. (1991): *The prediction of hillslope flow paths for distributed hydrological modeling using digital terrain models*. In: Hydrological Processes 5, 59-79.
- RAUSCH, D.L.; HEINEMANN, H.G. (1984): *Measurement of reservoir sedimentation*. In: Hadley, R.F.; Walling, D.E. (eds.): Erosion and sediment yield: Some methods of measurement and modelling. Cambridge (Cambridge University Press), 179-200.
- RAWAT, J.S. (1987): *Modelling of water and sediment budget: Concepts and strategies*. In: Catena, CATENA SUPPLEMENT 10, 147-159.
- RENARD, K.G.; FERREIRA, V.A. (1993): *RUSLE model description and database sensitivity*. In: Journal of Environmental Quality 22(3), 485-466.
- RENARD, K.G.; LANE, L.J.; FOSTER, G.R. (1996): *Soil loss estimation*. In: Agassi, M. (ed.): Soil erosion, conservation and rehabilitation. New York, 169-202.
- RENARD, K.G.; FOSTER, G.R.; WEESIES, G.A. (1997): *Predicting soil erosion by water. A guide to conservation planning with the Revised Universal Soil Loss Equation (RUSLE)*. Draft August (USA) (US Department of Agriculture). (= Agriculture Handbook. 703).
- RENARD, K.G.; FREIMUND, J.R. (1994): *Using monthly precipitation data to estimate the R-Factor in the revised USLE*. In: Journal of Hydrology 157, 287-306.
- RENARD, K.G.; LAFLÉN, J.M.; FOSTER, G.R.; MCCOOL, D.K. (1994): *The revised universal soil loss equation*. In: Lal, T. (ed.): Soil erosion research methods. 2.Auflage. Del Ray Beach (USA), 105-124.
- RENWICK, W.H. (1996): *Continent-scale reservoir sedimentation patterns in the United States*. In: Walling, D.E.; Webb, B.W. (eds.): Erosion and sediment yield: Global and regional perspectives (Proceedings of the Exeter Symposium, July 1996). Wallingford (GB) (IAHS Press). (= IAHS Publication. 236), 513-522.
- RESTREPO, J.D.; KJERFVE, B. (2000): *Magdalena river: Interannual variability (1975-1995) and revised water discharge and sediment load estimates*. In: Journal of Hydrology 235, 137-149.
- ROESSNER, S. (1999): *GIS-based quantification of spatially high resolution denudations rates in the central Kenya rift*. In: Dikau, R.; Saurer, H. (eds.): GIS for earth surface systems. Analysis and modelling of the natural environment. Stuttgart (Gebrüder Bornträger), 109-133.
- ROOSEBOOM, A.; LOTRIET, H.H. (1992): *The new sediment yield map for southern Africa*. In: Bogen, J.; Walling, D.E.; Day, T.J. (eds.): Erosion and sediment transport monitoring programs in river basins (Proceedings of the Oslo Symposium, August 1992). Wallingford (GB) (IAHS Press). (= IAHS Publication. 210), 527-538.
- ROOSEBOOM, A.; VERSTER, E.; ZIETSMAN, H.L. (1992): *The development of the new sediment yield map of Southern Africa*. Pretoria (South Africa).
- SAGHAFIAN, B. (1996): *Implementation of a distributed hydrologic model within GRASS*. In: Goodchild, M.F.; Steyaert, L.T.; Parks, B.O. (eds.): GIS and environmental modeling: Progress and research issues. Fort Collins (USA) (GIS World Books), 205-208.
- SAYEEDUZZAMAN, M.; WEIRICH, F.H. (1996): *Runoff and sediment yield in a fire impacted, mountain watershed. Fluvial hydrologic modeling in a GIS environment*. Minneapolis, Minnesota (USA). (= American Water Resources Association Technical Publication Series TPS. 96.3).
- SCHÄUBLE, H. (1999): *Erosionsprognosen mit GIS und EDV. Ein Vergleich verschiedener Bewertungskonzepte am Beispiel einer Gäulandschaft*. Eberhard-Karls Universität Tübingen, Geographisches Institut, Diplomarbeit. [online] - URL: <http://w210.ub.uni-tuebingen.de/dbt/volltexte/2005/1904/>; URN: urn:nbn:de:bsz:21-opus-19040 [Zugriff 23.08.05]

- SCHÄUBLE, H. (2000): *Erosionsmodellierungen mit GIS. Probleme und Lösungen zur exakten Prognose von Erosion und Akkumulation*. In: Rosner, H.-J. (Hrsg.): GIS in der Geographie II. Ergebnisse der Jahrestagung des Arbeitskreises GIS 25./26. Februar 2000. Tübingen (Geographisches Institut der Universität Tübingen). (= Kleinere Arbeiten aus dem Geographischen Institut der Universität Tübingen. 25), 51-62.
- SCHMIDT, K.-H. (1984): *Der Fluß und sein Einzugsgebiet*. Wiesbaden (Franz Steiner Verlag). (= Hydrogeographische Forschungspraxis).
- SCHMIDT, K.H. (1985): *Regional variation of mechanical and chemical denudation, upper Colorado River Basin, U.S.A.* In: Earth Surface Processes and Landforms 10, 497-508.
- SCHRADER, D.L.; HOLMES, R.R. (2000): *Suspended-sediment budget, flow distribution and lake circulation for the fox chain of lakes in Lake and McHenry Counties, Illinois, 1997-99*. De Kalb (IL, USA).
- SCHRUBEN, P.G.; ARNDT, R.E., BAWIEC, W.J. (1997): *Geology of the conterminous United States at 1:2,500,000 scale -- A digital representation of the 1974 P.B. King and H.M. Beikman map*. [online] – URL: <http://pubs.usgs.gov/dds/dds11/> [Zugriff 23.08.05].
- SCHUMM, S.A. (1964): *Seasonal variations of erosion rates and processes on hillslopes in western Colorado*. In: Zeitschrift für Geomorphologie - SUPPLEMENTBAND 5, 215-218.
- SCHUMM, S.A. (1977): *The fluvial system*. New York (John Wiley & Sons).
- SCHWANDT, D. (2004): *Abflussentwicklung in Teileinzugsgebieten des Rheins. Simulationen für den Ist-Zustand und für Klimaszenarien*. Potsdam, Dissertation.
- SCHWERTMANN, U.; VOGL, W.; KAINZ, M. (1990): *Bodenerosion durch Wasser. Vorhersage des Abtrags und Bewertung von Gegenmaßnahmen. 2. Auflage*. Stuttgart (Ulmer).
- SEDGEWICK, R. (1992): *Algorithmen in C++ 5. unveränderter Nachdruck*. Bonn (Addison-Wesley).
- SHANNON, K.H.; MONTGOMERY, D.R.; NEWHALL, C.G. (2002): *Fluvial sediment next term transport and deposition following the 1991 eruption of Mount Pinatubo*. In: Geomorphology 45(3-4), 211-224.
- SIDORCHUK, A. (2003): *Floodplain sedimentation: Inherited memories*. In: Global and Planetary Change 39(1-2), 13-29.
- SINGH, V.P. (1995): *Watershed modeling*. In: Singh, V.P. (ed.): Computer models of watershed hydrology. Highlands Ranch (CO, USA) (Water Resources Publications), 1-22.
- SLACK, J.R.; LANDWEHR, J.M. (1992): *Hydro-climatic data network (HCDN): A U.S. Geological Survey streamflow data set for the United States for the study of climate variations, 1874-1988*. Reston (USA) (U.S. Geological Survey). (= USGS Open-File Report. 92-129).
- SLINGERLAND, R.; HARBAUGH, J.W.; FURLONG, K.P. (1994): *Simulating clastic sedimentary basins. Physical fundamentals and computer programs for creating dynamic systems*. Englewood Cliffs (USA) (Prentice-Hall).
- SMITH, R.E. (1992): *Opus: An integrated simulation model for transport of nonpoint-source pollutants and the field scale. Vol. 1, documentation*. Washington, DC. (U.S. Department of Agriculture). (= Agricultural Research Service, ARS-98).
- SMITH, P.N.H.; MAIDMENT, D.R. (1995): *Hydrologic data development system*. <http://civil.ce.utexas.edu/centers/crwr/reports/online.html> (Bureau of Engineering Research - University of Texas at Austin). (= CRWR Online Report 95-1).
- SMITH, S.V.; RENWICK, W.H.; BUDDEMEIER, R.W.; CROSSLAND, C.J. (2001): *Budgets of soil erosion and deposition for sediments and sedimentary organic carbon across the conterminous United States*. In: Global Biogeochemical Cycles 15(3), 697-707.
- SMITH, R.E.; WILLIAMS, J.R. (1980): *Simulation of the surface water hydrology*. In: Knisel, W.G. (ed.): CREAMS: A field scale model for chemicals, runoff and erosion from agricultural management systems. Tucson, Arizona (USA). (=Conservation Research Report. 26), 13-35.
- SOROOSHIAN, S.; GUPTA, V.K. (1995): *Model calibration*. In: Singh, V.P. (ed.): Computer models of watershed hydrology. Highlands Ranch (CO, USA) (Water Resources Publications), 23-68.
- SPEKTRUM (Hrsg.) (2002): *Lexikon der Geowissenschaften*. Heidelberg (Spektrum Akademischer Verlag).
- STANLEY, E.H.; DOYLE, M.W. (2003): *Trading off: The ecological effects of dam removal*. In: Frontiers in Ecology and the Environment 1, 15-22.

- STAR, J.; ESTES, J. (1990): *Geographic Information Systems. An introduction*. Englewood Cliffs (NJ, USA) (Prentice Hall).
- STATSOFT (2002): *Electronic statistics textbook*.
[online] – URL: www.statsoft.com/textbook/stathome.html [Zugriff 23.08.05].
- STEFFEN, L.J. (1996): *A reservoir sedimentation survey information system - RESIS*. In: FISC-USGS (eds.): Proceedings of the Sixth Federal Interagency Sedimentation Conference, March 10-14, 1996, Las Vegas, Nev. Reston (VA, USA) (U.S. Geological Survey), 29-37.
- STOCKING, M. (1987): *Measuring land degradation*. In: Blaikie, P.; Brookfield, H. (eds.): Land degradation and society. London (Methuen), 49-63.
- SUMMER, W.; WALLING, D.E. (eds.) (2002): *Modelling erosion, sediment transport and sediment yield*. Paris (UNESCO). (= IHP-VI Technical Documents in Hydrology. 60).
- SUMMERFIELD, M.A. (1991): *Global geomorphology*. Harlow (Longman).
- SUMMERFIELD, M.A.; HULTON, N.J. (1994): *Natural controls of fluvial denudation rates in major world drainage basins*. In: Journal of Geophysical Research 99, 13871-13883.
- SUN, G.; McNULTY, S.G. (1998): *Modeling soil erosion and transport on forest landscape. Proceedings of Conference 29; 1998 February 16-20, Reno, NV*. Steamboat Springs (CO, USA) (International Erosion Control Association).
- SUN, G.; McNULTY, S.G.; MOORE, J.; BUNCH, C.; NI, J. (2003): *Potential impacts of climate change on rainfall erosivity and water availability in China in the next 100 years*. In: Juren, J.; Lianxiang, W.; Deyi, W.; Xioaning, T.; Jing, N. (eds.): Proceedings of the 12th International Soil Conservation Organisation (ISCO) conference. Volume 2: Process of soil erosion and its environment effect. Beijing, PR China.
[online] – URL: <http://www.swcc.cn/waswc/guangpan/index.html> [Zugriff 23.08.05]
- SUTHERLAND, R.A. (1994): *Spatial variability of 137Cs and the influence of sampling on estimates of sediment redistribution*. In: Catena 21(1), 57-71.
- SWAN, A.R.H.; SANDILANDS, M. (1995): *Introduction to geological data analysis*. Oxford (Blackwell Science).
- SWARTZMAN, G.L.; KALUZNY, S.P. (1987): *Ecological simulation primer*. New York (MacMillan Publ. Co.).
- SYVITSKI, J.P. (2003): *Supply and flux of sediment along hydrological pathways: Research for the 21st century*. In: Global and Planetary Change 39(1-2), 1-11.
- SYVITSKI, J.P.; MOREHEAD, M.D.; BAHR, D.B.; MULDER, T. (2000): *Estimating fluvial sediment transport: The rating parameters*. In: Water Resources Research 36(9), 2747-2760.
- TARBOTON, D.G. (1997): *A new method for the determination of flow directions and upslope areas in grid digital elevation models*. In: Water Resources Research 33(2), 309-319.
- TRIMBLE, S.W. (1988): *The impact of organisms on overall erosion rates within catchments in temperate regions*. In: Viles, H.A. (ed.): Biogeomorphology. Oxford (Blackwell), 83-142.
- TRIMBLE, S.W. (1995): *Catchment sediment budgets and change*. In: Foster, I.D.L.; Gurnell, A.M.; Webb, B.W. (eds.): Sediment and water quality in river catchments. Chichester (GB) (John Wiley & Sons), 201-215.
- TRIMBLE, S.W.; CAREY, W.P. (1984): *Sediment characteristics of Tennessee streams and reservoirs*. Nashville (USA). (= USGS Open-File Report 84-749).
- USACE (U.S. Army Corps of Engineers, eds.) (1995): *Sedimentation investigations of rivers and reservoirs. Revised edition*. Washington, D.C.
- USACE (ed.) (1997): *Hydrologic engineering requirements for reservoirs*. Washington, D.C.
- USACE (ed.) (2001): *National Inventory of Dams. Methodology. State and Federal Agency Manual. Version 2.0*. Washington, D.C.
- USDA (U.S. Department of Agriculture, eds.) (1994): *State soil geographic (STATSGO) data base. Data use information*. Fort Worth (TX, USA)
[online] – URL: http://www.ncg.nrcs.usda.gov/pdf/statsgo_db.pdf [Zugriff 23.08.05]
- USDA (ed.) (1995): *Soil survey laboratory information manual*. Lincoln (NE, USA).

- USDA (ed.) (1995): *USDA - Water Erosion Prediction Project (WEPP). Wepp user summary*. West Lafayette (USA). (= NSERL Report. 11).
- USDA (ed.) (1995): *USDA - Water Erosion Prediction Project (WEPP). Technical documentation*. West Lafayette (USA). (= NSERL Report. 10).
- USDA (ed.) (2000): *State soil geographic data base (STATSGO)*.
[online] – URL: http://www.il.nrcs.usda.gov/soils/statsgo_inf.html [Zugriff 23.08.05].
- USDA-NRCS (U.S. Department of Agriculture - National Resources Conservation Service, eds.) (1983): *National engineering handbook. Part 3 - Sedimentation*.
[online] – URL: <http://www.nrcs.usda.gov/technical/ENG/neh.html> [Zugriff 23.08.05].
- USDA-NRCS (ed.) (1986): *Urban hydrology for small watersheds*.
[online] – URL: <http://www.wcc.nrcs.usda.gov/water/quality/common/tr55/tr55.pdf> [Zugriff 23.08.05].
- USDA-NRCS (ed.) (2001): *National engineering handbook. Part 630 - Hydrology*.
[online] – URL: <http://www.nrcs.usda.gov/technical/ENG/neh.html> [Zugriff 23.08.05].
- USGS (U.S. Geological Survey, eds.) (1990): *Land use and land cover digital data from 1:250000 and 1:100000 scale maps*. Reston (VA, USA). [online] – URL: . [Zugriff 23.08.05]
- USGS (ed.) (1993): *Digital elevation models*. Reston (VA, USA).
- USGS (ed.) (1997a): *Standards for digital elevation models. Part 1: General*.
[online] – URL: <http://rockyweb.cr.usgs.gov/nmpstds/demstds.html> [Zugriff 23.08.05].
- USGS (ed.) (1997b): *Digital compilation of "Landslide overview map of the conterminous United States"*. Denver (CO, USA).
- USGS (ed.) (1998a): *Suspended sediment database. Daily values of suspended sediment and ancillary data*.
[online] – URL: <http://webserver.cr.usgs.gov/sediment> [Zugriff 23.08.05].
- USGS (ed.) (2000a): *HYDRO1k documentation*.
[online] – URL: <http://edcdaac.usgs.gov/gtopo30/hydro/readme.html> [Zugriff 23.08.05].
- USGS (ed.) (2000b): *USGS land use and land cover data*.
[online] – URL: http://edcwww.cr.usgs.gov/glis/hyper/guide/1_250_lulc [Zugriff 23.08.05].
- USGS (ed.) (2000c): *1-degree USGS digital elevation models*.
[online] – URL: http://edcwww.cr.usgs.gov/glis/hyper/guide/1_dgr_dem [Zugriff 23.08.05].
- VAN ROMPAEY, A.J.J.; VERSTRAETEN, G.; VAN OOST, K.; GOVERS, G.; POESEN, J. (2001): *Modelling mean annual sediment yield using a distributed approach*. In: *Earth Surface Processes and Landforms* 26(11), 1221-1236.
- VAN SICKLE, J.; BESCHTA, R.L. (1983): *Supply-based models of suspended sediment transport in streams*. In: *Water Resources Research* 19(3), 768-778.
- DE VENTE, J.; POESEN, J. (2005): *Predicting soil erosion and sediment yield at the basin scale: Scale issues and semi-quantitative models*. In: *Earth-Science Reviews* 71(1-2), 95-125.
- VERSTRAETEN, G.; POESEN, J. (2000): *Estimating trap efficiency of small reservoirs and ponds: Methods and implications of the assessment of sediment yield*. In: *Progress in Physical Geography* 24(2), 219-251.
- VERSTRAETEN, G.; POESEN, J. (2001): *Factors controlling sediment yield from small intensively cultivated catchments in a temperate humid climate*. In: *Geomorphology* 40, 123-144.
- VERSTRAETEN, G.; POESEN, J.; DE VENTE, J.; KONINCKX, X. (2003): *Sediment yield variability in Spain: a quantitative and semiqualitative analysis using reservoir sedimentation rates*. In: *Geomorphology* 50(4), 327-348.
- VIEUX, B.E. (2001): *Distributed hydrologic modeling using GIS*. Dordrecht (NL) (Kluwer Academic Publishers). (= Water Science and Technology Library. 38).
- VON WERNER, M. (1995): *GIS-orientierte Methoden der digitalen Reliefanalyse zur Modellierung von Bodenerosion in kleinen Einzugsgebieten*. Berlin, Dissertation.
- VÖRÖSMARTY, C.J.; MEYBECK, M.; FEKETE, B.; SHARMA, K.; GREEN, P.; SYVITSKI, J.P. (2003): *Anthropogenic sediment retention: Major global impact from registered river impoundments*. In: *Global and Planetary Change* 39(1-2), 169-190.

- VÖRÖSMARTY, C.J.; MEYBECK, M.; FEKETE, B.; SHARMA, K. (1997): *The potential impact of neo-castorization on sediment transport by the global network of rivers*. In: Walling, D.E.; Probst, J.-L. (eds.): Human impact on erosion and sedimentation (Proceedings of the Rabat Symposium S6, April 1997). Wallingford (GB) (IAHS Press). (= IAHS Publication. 245), 261-273.
- WALLING, D.E. (1983): *The sediment delivery problem*. In: Journal of Hydrology 65, 209-237.
- WALLING, D.E. (1987): *Rainfall, runoff and erosion of the land: a global view*. In: Gregory, K.J. (ed.): Energetics of the physical environment. Energetic approaches to physical geography. Chichester (GB) (John Wiley & Sons), 89-117.
- WALLING, D.E. (1995): *Suspended sediment yields in a changing environment*. In: Gurnell, A.; Petts, G. (eds.): Changing river channels. Chichester (GB) (John Wiley & Sons), 149-176.
- WALLING, D.E. (1996): *Hydrology and rivers*. In: Adams, W.M.; Goudie, A.; Orme, A.R. (eds.): The Physical Geography of Africa. Oxford (Oxford University Press), 103-121.
- WALLING, D.E. (1997): *The response of sediment yields to environmental change*. In: Walling, D.E.; Probst, J.-L. (eds.): Human impact on erosion and sedimentation (Proceedings of the Rabat Symposium S6, April 1997). Wallingford (GB) (IAHS Press). (= IAHS Publication. 245), 77-89.
- WALLING, D.E. (1997): *Erosion and sediment yield in a changing environment*. In: UNESCO IHP (ed.): Study of erosion, river bed deformation and sediment transport in river basins as related to natural and man-made changes. Paris (UNESCO). (= IHP-VI Technical Documents in Hydrology. 10), 1-53.
- WALLING, D.E.; FANG, D. (2003): *Recent trends in the suspended sediment loads of the world's rivers*. In: Global and Planetary Change 39(1-2), 111-126.
- WALLING, D.E.; HE, Q. (2002): *Using ¹³⁷Cs measurements to test distributed soil erosion and sediment delivery models*. In: Summer, W.; Walling, D.E. (eds.): Modelling erosion, sediment transport and sediment yield. Paris (UNESCO). (= IHP-VI Technical Documents in Hydrology. 60), 243-264.
- WALLING, D.E.; QUINE, T.A. (1992): *The use of caesium-137 measurements in soil erosion surveys*. In: Bogen, J.; Walling, D.E.; Day, T.J. (eds.): Erosion and sediment transport monitoring programs in river basins (Proceedings of the Oslo Symposium, August 1992). Wallingford (GB) (IAHS Press). (= IAHS Publication. 210), 143-152.
- WALLING, D.E.; WEBB, B.W. (1981): *The reliability of suspended sediment load data*. In: International Association of Scientific Hydrology Publication 133, 177-194.
- WALLING, D.E.; WEBB, B.W. (1983): *Patterns of sediment yield*. In: Gregory, K.J. (ed.): Background to palaeohydrology. New York (John Wiley & Sons), 69-100.
- WALLING, D.E.; WEBB, B.W. (1996): *Erosion and sediment yield: a global overview*. In: Walling, D.E.; Webb, B.W. (eds.): Erosion and sediment yield: Global and regional perspectives (Proceedings of the Exeter Symposium, July 1996). Wallingford (GB) (IAHS Press). (=IAHS Publication. 236), 3-19.
- WANIELISTA, M.; KERSTEN, R.; EAGLIN, R. (1997): *Hydrology: Water quantity and quality control. Second edition*. Chichester (GB) (John Wiley & Sons).
- WANIELISTA, M.; YOUSEF, Y.A. (1992): *Stormwater management*. New York (John Wiley & Sons).
- WARD, P.R. (1984): *Measurement of sediment yields*. In: Hadley, R.F.; Walling, D.E. (eds.): Erosion and sediment yield: Some methods of measurement and modelling. Cambridge (Cambridge University Press), 37-70.
- WASSON, R.J. (2002): *What approach to the modelling of catchment scale erosion and sediment transport should be adopted ?* In: Summer, W.; Walling, D.E. (eds.): Modelling erosion, sediment transport and sediment yield. Paris (UNESCO). (= IHP-VI Technical Documents in Hydrology. 60), 1-11.
- WCD (World Commission on Dams, ed.) (2000): *Staudämme und Entwicklung: ein neuer Rahmen zur Entscheidungsfindung. Ein Überblick*.
[online] – URL: http://www.dams.org/docs/overview/wcd_uberblick.pdf [Zugriff 23.08.05].
- WEBB, B.W.; FOSTER, I.D.L.; GURNELL, A.M. (1995): *Hydrology, water quality and sediment behaviour*. In: Foster, I.D.L.; Gurnell, A.M.; Webb, B.W. (eds.): Sediment and water quality in river catchments. Chichester (GB) (John Wiley & Sons), 1-29.
- WILHELMY, H.; HÜTTERMANN, A.; SCHRÖDER, P. (1990): *Kartographie in Stichworten. 5. überarbeitete Auflage*. Unterägeri (CH) (Ferdinand Hirt AG). (= Hirts Stichwörterbücher).

- WILLIAMS, J.R. (1975): *Sediment yield prediction with universal equation using runoff energy factor*. Washington, DC. (US Department of Agriculture). (= Agricultural Research Service, ARS-S-40).
- WILLIAMS, J.R. (1977): *Sediment delivery ratios determined with sediment and runoff models*. In: Bordas, M.P.; Walling, D.E. (eds.): *Erosion and solid matter transport in inland waters*. Proceedings of a symposium held at Paris, July 1977. Wallingford (GB) (IAHS Press). (= IAHS Publication. 174), 168-179.
- WILLIAMS, J.R. (1995): *The EPIC model*. In: Singh, V.P. (ed.): *Computer models of watershed hydrology*. Highlands Ranch (CO, USA) (Water Resources Publications), 909-1000.
- WILLIAMS, J.R.; ARNOLD, J.G. (1997): *A system of erosion-sediment yield models*. In: *Soil Technology* 11, 43-55.
- WILLIAMS, J.R.; BERNDT, H.D. (1977): *Sediment yield prediction based on watershed hydrology*. In: *Transactions of the ASAE*, 1100-1104.
- WILSON, L. (1973): *Variations in mean annual sediment yield as a function of mean annual precipitation*. In: *American Journal of Science* 273, 335-349.
- WILSON, J.P.; GALLANT, J.C. (1996): *EROS: A grid-based program for estimating spatially-distributed erosion indices*. In: *Computer & Geosciences* 22(7), 707-712.
- WILSON, J.P.; GALLANT, J.C. (2000): *Digital terrain analysis*. In: Wilson, J.P.; Gallant, J.C. (eds.): *Terrain analysis. Principles and applications*. New York (John Wiley & Sons), 1-27.
- WILSON, J.P.; GALLANT, J.C. (2000): *Secondary topographic attributes*. In: Wilson, J.P.; Gallant, J.C. (eds.): *Terrain analysis. Principles and applications*. New York (John Wiley & Sons), 87-131.
- WILSON, J.P.; REPETTO, P.L.; SNYDER, R.D. (2000): *Effect of data source, grid resolution and flow routing method on computed topographic attributes*. In: Wilson, J.P.; Gallant, J.C. (eds.): *Terrain analysis. Principles and applications*. New York (John Wiley & Sons), 133-161.
- WISCHMEIER, W.H. (1976): *Use and misuse of the universal soil loss equation*. In: *Journal of Soil and Water Conservation* 31, 5-9.
- WISCHMEIER, W.H.; SMITH, D. D. (1978): *Predicting rainfall erosion losses. A guide to conservation planning*. Washington D.C. (Science and Education Administration USDA). (= USDA Agricultural Handbook No.537).
- WISE, S.M. (2000): *Assessing the quality for hydrological applications of digital elevation models derived from contours*. In: *Hydrological Processes* 14(11-12), 1909-1929.
- WOLMAN, M.G.; MILLER, J.P. (1960): *Magnitude and frequency of forces in geomorphic processes*. In: *The Journal of Geology* 68(1), 54-74.
- WONG, M.F. (2001): *Sedimentation history of Waimaluhia reservoir during highway construction, Oahu, Hawaii, 1983-98*. Honolulu, Hawaii (USA).
- WOODWARD, J.C. (1995): *Patterns of erosion and sediment yield in Mediterranean river basins*. In: Foster, I.D.L.; Gurnell, A.M.; Webb, B.W. (eds.): *Sediment and water quality in river catchments*. Chichester (GB) (John Wiley & Sons), 365-389.
- WOOLHISER, D.A.; SMITH, R.E.; GOODRICH, D.C. (1990): *KINEROS, A kinematic runoff and erosion model: documentation and user manual*. Washington, DC. (U.S. Department of Agriculture). (= Agricultural Research Service, ARS-77).
- WÜEST, A. (2003): *Alpine Wasserkraftwerke und ihre "Fernwirkung" auf talwärts liegende Gewässer*. In: *Bulletin des Schweizerischen Elektrotechnischen Vereins, des Verbandes Schweizerischer Elektrizitätswerke* 94(2), 11-14.
- YAGOW, E.R.; SHANHOLTZ, V.O.; JULIAN, B.A.; FLAGG, J.M. (1988): *A water quality module for CAMPS*. (= American Society of Agricultural Engineers Meeting Presentation Paper. 88-2653). [online] – URL: <http://www.asae.org> [Zugriff 23.08.05].
- YAIR, A.; ENZEL, Y. (1987): *The relationship between annual rainfall and sediment yield in arid and semi-arid areas. The case of the northern Negev*. In: *Catena SUPPLEMENT* 10, 121-135.
- YOUNG, R.A.; ONSTADT, C.A.; BOSCH, D.D.; ANDERSON W.P. (1987): *AGNPS, agricultural non-point source pollution model - A watershed analysis tool*. Washington, DC. (U.S. Department of Agriculture). (= Conservation Research Report. 35).
- ZEILER, M. (1999): *Modeling our world*. Redlands (USA).